Habitats Regulations Assessment – Cairngorms Local Development Plan Main Issues Report

I. Introduction

Local Development Plans must be subject to assessment in terms of The Conservation (Natural Habitats &c) Regulations 1994 (as amended) to determine likely effects on European designated sites (Natura sites).

This report sets out the screening process and preliminary appropriate assessment undertaken to inform the preparation of the Main Issues Report. It is not a record of a full Habitats Regulations Assessment, which will be carried out when preparing the Proposed Local Development Plan. At that stage, it will be possible to assess with more certainty the proposed policies and site proposals.

However, it is important that the Main Issues Report considers likely effects on Natura sites when setting out options. The report should not set out options that are likely to result in an adverse impact on the integrity of Natura sites, as these would not be reasonable options. The screening and assessment or allocation options has been carried out by the Cairngorms National Park Authority having consulted Scottish Natural Heritage.

2. Summary of Natura 2000 sites within the Cairngorms National Park

Special Conservation Areas (SAC)

Ballochbuie Beinn a Ghlo Caenlochan Cairngorms Caenlochan Coyles of Muick Creag Meagaidh Creag nan Gamhainn Dinnet Oakwood Drumochter Hills Glen Tanar Greenhill of Strathdon Insh Marshes **Kinveachy Forest** Ladder Hills Monadliath Morrone Birkwood Morven and Mullachdubh Muir of Dinnet **River Dee River South Esk River Spey River Tay**

Special Protection Areas (SPA) Abernethy Forest Anagach Woods **Ballochbuie** Caenlochan Cairngorms Cairngorms Massif Craigmore Wood Creag Meagaidh Drumochter Hills Forest of Clunie Glen Tanar **Kinveachy Forest** Loch Vaa Lochnagar Muir of Dinnet River Spey – Insh Marshes **Ramsar sites**

Cairngorms Loch Muir of Dinnet River Spey – Insh Marshes

3. Details of Natura 2000 sites within the Cairngorms National Park and potential vulnerabilities relevant to the Main Issues Report

Name of European Site	Abernethy Forest
Site Type	Special Protection Area
Conservation Objectives	To avoid deterioration of the habitats of the qualifying species (listed below) or significant disturbance to the qualifying species, thus ensuring that the integrity of the site is maintained; and
	To ensure for the qualifying species that the following are maintained in the long term:
	 Population of the species as a viable component of the site
	 Distribution of the species within the site
	 Distribution and extend of habitats supporting the species
	 Structure, function and supporting process of habitats supporting the species No significant disturbance of the species
Qualifying Species	 Capercaillie (Tetrao urogallus) Osprey (Pandion haliaetus) Scottish crossbill (Loxia scotica)
Site Condition	 Capercaillie, breeding, 2009, Favourable maintained. Osprey, breeding, 2007, Favourable maintained. Scottish crossbill, not monitored to date.
Factors currently influencing site	In terms of development, no factors currently influencing site.
Vulnerabilities to change/potential effects	 Disturbance from construction and recreation arising from neighbouring development
of the plan	Relevant settlements: Boat of Garten, Nethy Bridge

Name of European Site	Anagach Woods
Site Type	Special Protection Area
Conservation Objectives	To avoid deterioration of the habitats of the qualifying species (listed below) or significant disturbance to the qualifying species, thus ensuring that the integrity of the site is maintained; and
	To ensure for the qualifying species that the following are maintained in the long term:
	 Population of the species as a viable component of the site Distribution of the species within the site
	 Distribution and extend of habitats supporting the species
	 Structure, function and supporting process of habitats supporting the species No significant disturbance of the species
Qualifying Species	Capercaillie (Tetrao urogallus)
Site Condition	 Breeding capercaillie, not monitored to date.
Factors currently influencing site	Impact from disturbance from adjacent village and footpaths within the wood.
Vulnerabilities to change/potential effects	 Disturbance from construction and recreation arising from neighbouring development
of the plan	Relevant settlements: Grantown-on-Spey

Name of European Site	Ballochbuie
Site Type	Special Area of Conservation
Conservation Objectives	To avoid deterioration of the qualifying habitats (listed below) thus ensuring that the integrity of the site is maintained and the site makes an appropriate contribution to achieving favourable conservation status for each of the qualifying features; and
	To ensure for the qualifying habitats that the following are maintained in the long
	term:
	 Extent of the habitat on site Distribution of the habitat or ithin the site
	 Distribution of the habitat within the site Structure and function of the habitat
	 Process supporting the site
	 Distribution of typical species of the habitat
	 Viability of typical species as components of the habitat
	 No significant disturbance of typical species of the habitat
Qualifying Habitats	 Blanket bog*
• , 0	 Bog Woodland*
	Caledonian forest*
	Dry heaths
	 Plants in crevices on acid rocks
	 Plants in crevices on base-rich rocks
	Wet heathland with cross-leaved heath
	(* indicates priority habitat)
Site Type	Special Area of Conservation
Conservation Objectives	To avoid deterioration of the habitats of the qualifying species (listed below) or significant disturbance to the qualifying species, thus ensuring that the integrity of the site is maintained and the site makes an appropriate contribution to achieving favourable conservation status for each of the qualifying features; and
	To ensure for the qualifying species that the following are maintained in the long term:
	 Population of the species as a viable component of the site Distribution of the species within the site
	 Distribution of the species within the site Distribution and extend of babitate supporting the species
	 Distribution and extend of habitats supporting the species Structure, function and supporting process of habitats supporting the species
	 No significant disturbance of the species
Qualifying Species	Otter (Lutra lutra)
Site Type	Special Protection Area
Conservation Objectives	To avoid deterioration of the habitats of the qualifying species (listed below) or significant disturbance to the qualifying species, thus ensuring that the integrity of the site is maintained; and
	To ensure for the qualifying species that the following are maintained in the long
	term:
	 Population of the species as a viable component of the site Distribution of the species within the site
	 Distribution of the species within the site Distribution and extend of babitate supporting the species
	 Distribution and extend of habitats supporting the species Structure, function and supporting process of habitats supporting the species
	 No significant disturbance of the species
Qualifying Species	Capercaillie (Tetrao urogallus)
- anny mg opecies	 Scottish crossbill (Loxia scotica)
Site Condition	Bog woodland, 2002, Unfavourable declining
	 Caledonian forest, 2002, Unfavourable declining
	 Otter 2004, Favourable maintained

	 Plants in crevices in acid rocks, 2008, Favourable maintained Other features not yet monitored
Factors currently influencing site	In terms of development, none at present
Vulnerabilities to change/potential effects of the plan	No specific vulnerabilities identified

Name of European Site	Beinn a Ghlo
Site Type	Special Area of Conservation
Conservation Objectives	To avoid deterioration of the qualifying habitats (listed below) thus ensuring that the integrity of the site is maintained and the site makes an appropriate contribution to achieving favourable conservation status for each of the qualifying features; and
	 To ensure for the qualifying habitats that the following are maintained in the long term: Extent of the habitat on site Distribution of the habitat within the site Structure and function of the habitat Process supporting the site Distribution of typical species of the habitat Viability of typical species as components of the habitat
	 No significant disturbance of typical species of the habitat
Qualifying habitat	 Acidic scree Apline and subalpine heaths Base-rich fens Blanket bog Dry grasslands and scrublands on chalk or limestone Dry heaths Geyer's whorl snail (Vertego geyeri) Hard-water springs depositing lime High-altitude plant communities associated with areas of water seepage Montane acid grasslands Plants in crevices on acid rocks Plants in crevices on base-rich rocks Round-mouthed whorl snail (Vertego genesii) Species-rich grassland with mat-grass in upland areas
Site Condition	 Species-rich grassland with mat-grass, 2005, Unfavourable no change Dry heaths, 2005, Unfavourable no change Plants in crevices on base-rich rocks, 2005, Unfavourable no change Plants in crevices on acid rocks, 2005, Unfavourable no change Acidic scree, 2005, Favourable maintained Alpine and subalpine heaths, 2005, Unfavourable no change Montane acid grasslands, 2005, Unfavourable no change Base-rich fens, 2005, Unfavourable no change High-altitude plant communities associated with areas of water seepage, 2005, Unfavourable no change Hard-water springs depositing lime, 2005, Unfavourable no change

	 Blanket bog, 2005, Unfavourable no change Round-mouthed whorl snail (Vertigo genesii), 2005, Favourable maintained Geyer's whorl snail (Vertigo geyeri), 2005, Favourable maintained
Factors currently influencing site	In terms of development, none at present
Vulnerabilities to change/potential effects of the plan	Recreational pressures from hillwalking may impact upon features although most popular routes are historical and were in place before classification of the site. Renewables development would be difficult to accommodate in the habitat mosaics present.

Name of European Site	Caenlochan
Site Type	Special Area of Conservation
Conservation Objectives	 To avoid deterioration of the qualifying habitats (listed below) thus ensuring that the integrity of the site is maintained and the site makes an appropriate contribution to achieving favourable conservation status for each of the qualifying features; and To ensure for the qualifying habitats that the following are maintained in the long term: Extent of the habitat on site Distribution of the habitat within the site Structure and function of the habitat Process supporting the site Distribution of typical species of the habitat Viability of typical species as components of the habitat No significant disturbance of typical species of the habitat
Qualifying Habitats	 Acidic scree Alpine and subalpine heaths Base-rich fens Base-rich scree Blanket bog* Dry heaths Grasslands on soils in heavy metals High-altitude plant communities associated with areas of water seepage* Montane acid grasslands Mountain willow scrub Plants in crevices on acid rocks Plants in crevices on base-rich rocks Species-rich grassland with mat-grass in upland areas* Tall herb communities
Site Type	(*indicates priority habitat) Special Protection Area
Conservation Objectives	To avoid deterioration of the habitats of the qualifying species (listed below) or significant disturbance to the qualifying species, thus ensuring that the integrity of the site is maintained; and
	 To ensure for the qualifying species that the following are maintained in the long term: Population of the species as a viable component of the site Distribution of the species within the site Distribution and extent of habitats supporting the species Structure, function and supporting process of habitats supporting the species

	 No significant disturbance of the species
Qualifying Species	 Dotterel (Charadrius moninellus)
	 Golden eagle (Aquila chrysaetos)
Site Condition	Acidic scree, 2006. Favourble maintained.
	 Alpine and sub-alpine heaths, 2006. Unfavourable no change.
	Base rich fens, 2006. Unfavourable no change.
	 Base-rich scree, 2006. Favourable maintained.
	 Blanket bog, 2006. Unfavourable no change.
	 Dry heath, 2006. Unfavourable no change.
	• Grassland on soils rich in heavy metals, 2006. Favourable maintained.
	 High-altitude plant communities associated with areas of water seepage,
	2006. Unfavourable no change.
	 Montane acid grasslands, 2006. Unfavourable no change.
	 Mountain willow scrub, 2006. Unfavourable no change.
	 Plants in crevices in acid rocks, 2006. Favourable maintained.
	 Plants in crevices in base-rich rocks, 2006. Favourable maintained.
	 Species-rich grassland with mat-grass in upland areas, 2006. Unfavourable no change.
	• Tall herb communities, 2006. Favourable maintained.
	• Dotterel, 1999. Favourable maintained.
	• Golden eagle, 2009. Favourable maintained.
Factors currently influencing site	In terms of development, none at present
Vulnerabilities to	Wind farms could impact on young golden eagles, given their mobility.
change/potential effects of the plan	Recreational pressure may affect the notified features.

Name of European Site	Cairngorms
Site Type	Special Area of Conservation
Conservation Objectives	To avoid deterioration of the qualifying habitats (listed below) thus ensuring that the integrity of the site is maintained and the site makes an appropriate contribution to achieving favourable conservation status for each of the qualifying features; and
	 To ensure for the qualifying habitats that the following are maintained in the long term: Extent of the habitat on site Distribution of the habitat within the site Structure and function of the habitat Process supporting the site Distribution of typical species of the habitat Viability of typical species as components of the habitat No significant disturbance of typical species of the habitat
Qualifying Habitats	 Acid peat-strained lakes and ponds Acidic scree Alpine and subalpine heaths Blanket bog* Bog Woodland* Caledonian forest* Clear-water lakes or lochs with aquatic vegetation and poor to moderate nutrient levels Dry grasslands and scrublands on chalk or limestone Dry heaths Hard-water springs depositing lime*

	 High-altitude plant communities associated with areas of water seepage*
	 Juniper on heaths or calcareous grasslands
	Montane acid grasslands
	Mountain willow scrub
	Plants in crevices on acid rocks
	 Plants in crevices on base-rich rocks
	 Species-rich grassland with mat-grass in upland areas*
	 Tall herb communities
	 Very wet mires often identified by an unstable 'quaking' surface
	Wet heathland with cross-leaved heath
	(*indicates priority habitat)
Site Type	Special Area of Conservation
Conservation Objectives	To avoid deterioration of the habitats of the qualifying species (listed below) or
	significant disturbance to the qualifying species, thus ensuring that the integrity of the
	site is maintained and the site makes an appropriate contribution to achieving
	favourable conservation status for each of the qualifying features; and
	······································
	To ensure for the qualifying species that the following are maintained in the long
	term:
	 Population of the species as a viable component of the site
	• Distribution of the species within the site
	 Distribution and extend of habitats supporting the species
	Structure, function and supporting process of habitats supporting the species
	 No significant disturbance of the species
Qualifying Species	Green shield-moss (Buxbaumia viridis)
, , ,	Otter (Lutra lutra)
Site Type	Special Protection Area
Conservation Objectives	To avoid deterioration of the habitats of the qualifying species (listed below) or
	significant disturbance to the qualifying species, thus ensuring that the integrity of the
	site is maintained; and
	sice is maintained, and
	The second for the multiple second standard the fully the second state is the law of
	To ensure for the qualifying species that the following are maintained in the long
	term:
	 Population of the species as a viable component of the site
	Population of the species as a viable component of the siteDistribution of the species within the site
	Distribution of the species within the siteDistribution and extend of habitats supporting the species
	 Distribution of the species within the site Distribution and extend of habitats supporting the species Structure, function and supporting process of habitats supporting the species
Qualifying Species	 Distribution of the species within the site Distribution and extend of habitats supporting the species Structure, function and supporting process of habitats supporting the species No significant disturbance of the species
Qualifying Species	 Distribution of the species within the site Distribution and extend of habitats supporting the species Structure, function and supporting process of habitats supporting the species No significant disturbance of the species Capercaillie (Tetrao urogallus)
Qualifying Species	 Distribution of the species within the site Distribution and extend of habitats supporting the species Structure, function and supporting process of habitats supporting the species No significant disturbance of the species Capercaillie (Tetrao urogallus) Dotterel (Charadrius moninellus)
Qualifying Species	 Distribution of the species within the site Distribution and extend of habitats supporting the species Structure, function and supporting process of habitats supporting the species No significant disturbance of the species Capercaillie (Tetrao urogallus) Dotterel (Charadrius moninellus) Golden eagle (Aquila chrysaetos)
Qualifying Species	 Distribution of the species within the site Distribution and extend of habitats supporting the species Structure, function and supporting process of habitats supporting the species No significant disturbance of the species Capercaillie (Tetrao urogallus) Dotterel (Charadrius moninellus) Golden eagle (Aquila chrysaetos) Merlin (Falco columbarius)
Qualifying Species	 Distribution of the species within the site Distribution and extend of habitats supporting the species Structure, function and supporting process of habitats supporting the species No significant disturbance of the species Capercaillie (Tetrao urogallus) Dotterel (Charadrius moninellus) Golden eagle (Aquila chrysaetos) Merlin (Falco columbarius) Osprey (Panion haliaetus)
Qualifying Species	 Distribution of the species within the site Distribution and extend of habitats supporting the species Structure, function and supporting process of habitats supporting the species No significant disturbance of the species Capercaillie (Tetrao urogallus) Dotterel (Charadrius moninellus) Golden eagle (Aquila chrysaetos) Merlin (Falco columbarius) Osprey (Panion haliaetus) Peregrine (Falco peregrinus)
	 Distribution of the species within the site Distribution and extend of habitats supporting the species Structure, function and supporting process of habitats supporting the species No significant disturbance of the species Capercaillie (Tetrao urogallus) Dotterel (Charadrius moninellus) Golden eagle (Aquila chrysaetos) Merlin (Falco columbarius) Osprey (Panion haliaetus) Peregrine (Falco peregrinus) Scottish crossbill (Loxia scotica)
Qualifying Species Site Condition	 Distribution of the species within the site Distribution and extend of habitats supporting the species Structure, function and supporting process of habitats supporting the species No significant disturbance of the species Capercaillie (Tetrao urogallus) Dotterel (Charadrius moninellus) Golden eagle (Aquila chrysaetos) Merlin (Falco columbarius) Osprey (Panion haliaetus) Peregrine (Falco peregrinus)
	 Distribution of the species within the site Distribution and extend of habitats supporting the species Structure, function and supporting process of habitats supporting the species No significant disturbance of the species Capercaillie (Tetrao urogallus) Dotterel (Charadrius moninellus) Golden eagle (Aquila chrysaetos) Merlin (Falco columbarius) Osprey (Panion haliaetus) Peregrine (Falco peregrinus) Scottish crossbill (Loxia scotica)
	 Distribution of the species within the site Distribution and extend of habitats supporting the species Structure, function and supporting process of habitats supporting the species No significant disturbance of the species Capercaillie (Tetrao urogallus) Dotterel (Charadrius moninellus) Golden eagle (Aquila chrysaetos) Merlin (Falco columbarius) Osprey (Panion haliaetus) Peregrine (Falco peregrinus) Scottish crossbill (Loxia scotica) Acid peat-stained lakes and ponds, 2004. Favourable maintained. Acidic scree, 2007. Favourable maintained.
	 Distribution of the species within the site Distribution and extend of habitats supporting the species Structure, function and supporting process of habitats supporting the species No significant disturbance of the species Capercaillie (Tetrao urogallus) Dotterel (Charadrius moninellus) Golden eagle (Aquila chrysaetos) Merlin (Falco columbarius) Osprey (Panion haliaetus) Peregrine (Falco peregrinus) Scottish crossbill (Loxia scotica) Acid peat-stained lakes and ponds, 2004. Favourable maintained. Acidic scree, 2007. Favourable maintained. Alpien and subalpine heaths, 2007. Unfavourable no change.
	 Distribution of the species within the site Distribution and extend of habitats supporting the species Structure, function and supporting process of habitats supporting the species No significant disturbance of the species Capercaillie (Tetrao urogallus) Dotterel (Charadrius moninellus) Golden eagle (Aquila chrysaetos) Merlin (Falco columbarius) Osprey (Panion haliaetus) Peregrine (Falco peregrinus) Scottish crossbill (Loxia scotica) Acid peat-stained lakes and ponds, 2004. Favourable maintained. Alpien and subalpine heaths, 2007. Unfavourable no change. Blanket bog, 2004. Unfavourable no change.
	 Distribution of the species within the site Distribution and extend of habitats supporting the species Structure, function and supporting process of habitats supporting the species No significant disturbance of the species Capercaillie (Tetrao urogallus) Dotterel (Charadrius moninellus) Golden eagle (Aquila chrysaetos) Merlin (Falco columbarius) Osprey (Panion haliaetus) Peregrine (Falco peregrinus) Scottish crossbill (Loxia scotica) Acid peat-stained lakes and ponds, 2004. Favourable maintained. Alpien and subalpine heaths, 2007. Unfavourable no change. Blanket bog, 2004. Unfavourable no change. Bog woodland, 2002. Favourable maintained.
	 Distribution of the species within the site Distribution and extend of habitats supporting the species Structure, function and supporting process of habitats supporting the species No significant disturbance of the species Capercaillie (Tetrao urogallus) Dotterel (Charadrius moninellus) Golden eagle (Aquila chrysaetos) Merlin (Falco columbarius) Osprey (Panion haliaetus) Peregrine (Falco peregrinus) Scottish crossbill (Loxia scotica) Acid peat-stained lakes and ponds, 2004. Favourable maintained. Acidic scree, 2007. Favourable maintained. Alpien and subalpine heaths, 2007. Unfavourable no change. Blanket bog, 2004. Unfavourable no change. Bog woodland, 2002. Favourable maintained. Caledonian forest, 2009. Unfavourable declining.
	 Distribution of the species within the site Distribution and extend of habitats supporting the species Structure, function and supporting process of habitats supporting the species No significant disturbance of the species Capercaillie (Tetrao urogallus) Dotterel (Charadrius moninellus) Golden eagle (Aquila chrysaetos) Merlin (Falco columbarius) Osprey (Panion haliaetus) Peregrine (Falco peregrinus) Scottish crossbill (Loxia scotica) Acid peat-stained lakes and ponds, 2004. Favourable maintained. Alpien and subalpine heaths, 2007. Unfavourable no change. Blanket bog, 2004. Unfavourable no change. Bog woodland, 2002. Favourable maintained. Caledonian forest, 2009. Unfavourable declining. Clear water lakes or lochs with aquatic vegetation and poor to moderate
	 Distribution of the species within the site Distribution and extend of habitats supporting the species Structure, function and supporting process of habitats supporting the species No significant disturbance of the species Capercaillie (Tetrao urogallus) Dotterel (Charadrius moninellus) Golden eagle (Aquila chrysaetos) Merlin (Falco columbarius) Osprey (Panion haliaetus) Peregrine (Falco peregrinus) Scottish crossbill (Loxia scotica) Acidi peat-stained lakes and ponds, 2004. Favourable maintained. Alpien and subalpine heaths, 2007. Unfavourable no change. Blanket bog, 2004. Unfavourable no change. Bog woodland, 2002. Favourable maintained. Caledonian forest, 2009. Unfavourable declining. Clear water lakes or lochs with aquatic vegetation and poor to moderate nutrient levels, 2004. Favourable maintained.
	 Distribution of the species within the site Distribution and extend of habitats supporting the species Structure, function and supporting process of habitats supporting the species No significant disturbance of the species Capercaillie (Tetrao urogallus) Dotterel (Charadrius moninellus) Golden eagle (Aquila chrysaetos) Merlin (Falco columbarius) Osprey (Panion haliaetus) Peregrine (Falco peregrinus) Scottish crossbill (Loxia scotica) Acid peat-stained lakes and ponds, 2004. Favourable maintained. Alpien and subalpine heaths, 2007. Unfavourable no change. Blanket bog, 2004. Unfavourable no change. Bog woodland, 2002. Favourable maintained. Caledonian forest, 2009. Unfavourable declining. Clear water lakes or lochs with aquatic vegetation and poor to moderate

	 High-altitude plant communities associated with areas of water seepage, 2006. Unfavourable no change. Juniper on heaths or calcareous grasslands, 2007. Favourable maintained. Montane acid grasslands, 2006. Unfavourable recovering. Mountain willow scrub, 2007. Unfavourable no change. Otter, 2004. Favourable maintained. Plants in crevices on acid rocks, 2007. Favourable maintained. Plants in crevices on base-rich rocks, 2007. Unfavourable no change. Tall herb communities, 2007. Favourable maintained. Very wet mires often identified by an unstable 'quaking' surface, 2007. Favourable maintained. Wet heathland with cross-leaved heath, 2007. Unfavourable no change. Breeding dotterel, 1999. Favourable maintained. Breeding golden eagle, 2003. Favourable maintained. Breeding osprey, 2006. Favourable maintained. Breeding peregrine, 2002. Favourable maintained.
Factors currently influencing site	In terms of development, none at present
Vulnerabilities to change/potential effects of the plan	 Recreational disturbance to species from neighbouring development Relevant settlements: An Camus Mor, Boat of Garten. Also developing of, or extension of existing, recreational facilities. Wind farms could impact on young golden eagles, given their mobility

Name of European Site	Cairngorms Massif
Site Type	Special Protection Area
Conservation Objectives	To avoid deterioration of the habitats of the qualifying species (listed below) or significant disturbance to the qualifying species, thus ensuring that the integrity of the site is maintained; and
	To ensure for the qualifying species that the following are maintained in the long term:
	 Population of the species as a viable component of the site
	 Distribution of the species within the site
	 Distribution and extend of habitats supporting the species
	 Structure, function and supporting process of habitats supporting the species No significant disturbance of the species
Qualifying Species	Golden eagle (Aquila chrysaetos)
Site Condition	Golden eagle - not monitored to date
Factors currently influencing site	In terms of development, none at present
Vulnerabilities to change/potential effects of the plan	No specific vulnerabilities identified

Name of European Site	Coyles of Muick
Site Type	Special Area of Conservation
Conservation Objectives	To avoid deterioration of the qualifying habitats (listed below) thus ensuring that the integrity of the site is maintained and the site makes an appropriate contribution to achieving favourable conservation status for each of the qualifying features; and To ensure for the qualifying habitats that the following are maintained in the long term:

Qualifying Habitat Site Condition Factors currently influencing site	 Extent of the habitat on site Distribution of the habitat within the site Structure and function of the habitat Process supporting the site Distribution of typical species of the habitat Viability of typical species as components of the habitat No significant disturbance of typical species of the habitat Grasslands on soils rich in heavy metals Grasslands on soils rich in heavy metals, 2006. Favourable maintained.
Vulnerabilities to change/potential effects of the plan	No specific vulnerabilities identified

Name of European Site	Craigmore Wood
Site Type	Special Protection Area
Conservation Objectives	To avoid deterioration of the habitats of the qualifying species (listed below) or significant disturbance to the qualifying species, thus ensuring that the integrity of the site is maintained; and
	To ensure for the qualifying species that the following are maintained in the long term:
	 Population of the species as a viable component of the site
	 Distribution of the species within the site
	 Distribution and extend of habitats supporting the species
	• Structure, function and supporting process of habitats supporting the species
	No significant disturbance of the species
Qualifying Species	Capercaillie (Tetrao urogallus)
Site Condition	 Capercaille, 2009. Unfavourable no change.
Factors currently influencing site	In terms of development, none at present
Vulnerabilities to	Recreational disturbance from development in neighbouring areas
change/potential effects of the plan	Relevant settlements: Boat of Garten, Nethy Bridge

Name of European Site	Creag Meagaidh
Site Type	Special Area of Conservation
Conservation Objectives	To avoid deterioration of the qualifying habitat (listed below) thus ensuring that the integrity of the site is maintained and the site makes an appropriate contribution to achieving favourable conservation status for each of the qualifying features; and
	To ensure for the qualifying habitats that the following are maintained in the long term:
	• Extent of the habitat on site
	 Distribution of the habitat within the site
	 Structure and function of the habitat
	 Process supporting the site
	 Distribution of typical species of the habitat
	 Viability of typical species as components of the habitat
	 No significant disturbance of typical species of the habitat

	Acidic scree
Qualifying Habitat	
	Alpine and subalpine heaths
	• Blanket bog*
	 Clear-water lakes or lochs with aquatic vegetation and poor to moderate
	nutrient levels
	Dry heaths
	 Montane acid grasslands
	Mountain willow scrub
	 Plants in crevices on acid rocks
	 Plants in crevices on base-rich rocks
	Tall herb communities
	 Wet heathland with cross-leaved heath
	(*indicator priority habitat)
Sido Tumo	(*indicates priority habitat)
Site Type	Special Protection Area
Conservation Objectives	To avoid deterioration of the habitats of the qualifying species (listed below) or
	significant disturbance to the qualifying species, thus ensuring that the integrity of the
	site is maintained; and
	To ensure for the qualifying species that the following are maintained in the long
	term:
	 Population of the species as a viable component of the site
	• Distribution of the species within the site
	 Distribution and extent of habitats supporting the species
	• Structure, function and supporting process of habitats supporting the species
	No significant disturbance of the species
Qualifying Species	Dotterel (Charadrius morinellus)
Site Condition	Acidic scree, 2005. Unfavourable no change.
	 Alpine and subalpine heaths, 2005. Unfavourable no change.
	 Blanket bog, 2005. Unfavourable no change.
	5
	Clear-water lakes or lochs with aquatic vegetation and poor to moderate
	nutrient levels, 2004. Favourable maintained.
	• Dry heaths, 2005. Unfavourable no change.
	 Montane acid grasslands, 2005. Unfavourable no change.
	 Mountain willow scrub, 2005. Unfacouralbe no change.
	 Plants in crevices on acid rocks, 2005. Favoruable maintained.
	 Plants in crevices on base-rich rocks, 2010. Favoruable maintained.
	 Tall herb communities, 2005. Unfavourable no change.
	 Wet heathland with cross-leaved heath, 2005. Unfavourable no change.
	 Dotterel, 2001. Favourable maintained.
Factors currently	In terms of development, none at present
influencing site	······································
Vulnerabilities to	No specific vulnerabilities identified
change/potential effects	
of the plan	
1	

Name of European Site	Creag nan Gamhainn
Site Type	Special Area of Conservation
Conservation Objectives	To avoid deterioration of the qualifying habitat (listed below) thus ensuring that the integrity of the site is maintained and the site makes an appropriate contribution to achieving favourable conservation status for each of the qualifying features; and To ensure for the qualifying habitats that the following are maintained in the long term:

Qualifying Habitat	 Extent of the habitat on site Distribution of the habitat within the site Structure and function of the habitat Process supporting the site Distribution of typical species of the habitat Viability of typical species as components of the habitat No significant disturbance of typical species of the habitat Hard-water springs depositing lime*
	(*indicates priority habitat)
Site Condition	 Hard-water springs depositing lime, 2002. Favourable maintained.
Factors currently influencing site	In terms of development, none at present
Vulnerabilities to change/potential effects of the plan	No specific vulnerabilities identified

Name of European Site	Dinnet Oakwood
Site Type	Special Area of Conservation
Conservation Objectives	To avoid deterioration of the qualifying habitat (listed below) thus ensuring that the integrity of the site is maintained and the site makes an appropriate contribution to achieving favourable conservation status for each of the qualifying features; and
	 To ensure for the qualifying habitats that the following are maintained in the long term: Extent of the habitat on site Distribution of the habitat within the site Structure and function of the habitat Process supporting the site Distribution of typical species of the habitat Viability of typical species as components of the habitat No significant disturbance of typical species of the habitat
Qualifying Habitat	 Western acidic oak woodland
Site Condition	• Western acidic oak woodland, 2002. Favourable maintained.
Factors currently influencing site	In terms of development, none at present
Vulnerabilities to change/potential effects of the plan	No specific vulnerabilities identified

Name of European Site	Drumochter Hills
Site Type	Special Area of Conservation
Conservation Objectives	To avoid deterioration of the qualifying habitat (listed below) thus ensuring that the integrity of the site is maintained and the site makes an appropriate contribution to achieving favourable conservation status for each of the qualifying features; and To ensure for the qualifying habitats that the following are maintained in the long term: Extent of the habitat on site Distribution of the habitat within the site

	Structure and function of the habitat
	 Process supporting the site
	 Distribution of typical species of the habitat
	 Viability of typical species as components of the habitat
	 No significant disturbance of typical species of the habitat
Qualifying Habitats	Acidic scree
	 Alpine and subalpine heaths
	 Blanket bog*
	Dry heaths
	 Montane acid grasslands
	Mountain willow scrub
	 Plants in crevices on acid rocks
	 Species-rich grassland with mat-grass in upland areas*
	Tall herb communities
	Wet heathland with cross-leaved heath
	(*indicates priority habitat)
Site Type	Special Protection Area
Conservation Objectives	To avoid deterioration of the habitats of the qualifying species (listed below) or
	significant disturbance to the qualifying species, thus ensuring that the integrity of the
	site is maintained; and
	To ensure for the qualifying species that the following are maintained in the long
	term:
	 Population of the species as a viable component of the site
	 Distribution of the species within the site
	 Distribution and extend of habitats supporting the species
	 Structure, function and supporting process of habitats supporting the species
	 No significant disturbance of the species
Qualifying Species	Dotterel (Charadrius moninellus)
	 Merlin (Falco columbarius)
Site Condition	Acidic scree, 2006. Favourable maintained.
	 Alpine and subalpine heaths, 2006. Unfavourable no change.
	 Blanket bog, 2006. Unfavourable no change.
	 Dry heaths, 2006. Unfavourable no change.
	 Montane acid grasslands, 2006. Unfavourable no change.
	 Mountain willow scrub, 2006. Unfavourable no change.
	 Plants in crevices on acid rocks, 2006. Unfavourable no change.
	 Species-rich grasslands with mat-grass in upland areas, 2006. Unfavourable
	no change.
	v
Eactors currently	
2	in terms of development, none at present
	No coorific vulnerabilities identified
	no specific vulnerabilities identified.
• •	
or the plan	
Factors currently influencing site Vulnerabilities to change/potential effects of the plan	 Tall herb communities, 2006. Unfavourable recovering. Wet heathland with cross-leaved heath, 2006. Unfavourable no change. Dotterel, 2004. Favourable maintained. Merlin, 2004. Unfavourable no change. In terms of development, none at present No specific vulnerabilities identified.

Name of European Site	Forest of Clunie
Site Type	Special Protection Area
Conservation Objectives	To avoid deterioration of the habitats of the qualifying species (listed below) or

	significant disturbance to the qualifying species, thus ensuring that the integrity of the site is maintained; and
	 To ensure for the qualifying species that the following are maintained in the long term: Population of the species as a viable component of the site Distribution of the species within the site Distribution and extend of habitats supporting the species Structure, function and supporting process of habitats supporting the species No significant disturbance of the species
Qualifying Species	 Hen harrier (circus cyaneus), breeding Merlin (Falco columbarius), breeding Osprey (Pandion haliatus), breeding Short-eared owl (Asio flammeus), breeding
Site Condition	 Hen harrier (circus cyaneus), breeding, 2010, Unfavourable declining Merlin (Falco columbarius), breeding, 2009, Unfavourable declining Osprey (Pandion haliatus), breeding, 2011, Favourable declining Short-eared owl (Asio flammeus), breeding, 2009, Unfavourable declining
Factors currently influencing site	In terms of development, none at present
Vulnerabilities to change/potential effects of the plan	Development of wind renewables within connectivity distance of the site has the potential to damage the features.

Name of European Site	Glen Tanar
Site Type	Special Area of Conservation
Conservation Objectives	 To avoid deterioration of the qualifying habitat (listed below) thus ensuring that the integrity of the site is maintained and the site makes an appropriate contribution to achieving favourable conservation status for each of the qualifying features; and To ensure for the qualifying habitats that the following are maintained in the long term: Extent of the habitat on site Distribution of the habitat within the site Structure and function of the habitat Process supporting the site Distribution of typical species of the habitat Viability of typical species as components of the habitat
Qualifying Habitats	 Blanket bog* Caledonian forest* Dry heaths Wet heathland with cross-leaved heath (*indicates priority habitat)
Site Type	Special Area of Conservation
Conservation Objectives	To avoid deterioration of the habitats of the qualifying species (listed below) or significant disturbance to the qualifying species, thus ensuring that the integrity of the site is maintained and the site makes an appropriate contribution to achieving favourable conservation status for each of the qualifying features; and

Qualifying Species	 To ensure for the qualifying species that the following are maintained in the long term: Population of the species as a viable component of the site Distribution of the species within the site Distribution and extend of habitats supporting the species Structure, function and supporting process of habitats supporting the species No significant disturbance of the species Otter (Lutra lutra)
Site Type	Special Protection Area
Conservation Objectives	To avoid deterioration of the habitats of the qualifying species (listed below) or significant disturbance to the qualifying species, thus ensuring that the integrity of the site is maintained; and
	 To ensure for the qualifying species that the following are maintained in the long term: Population of the species as a viable component of the site Distribution of the species within the site Distribution and extend of habitats supporting the species Structure, function and supporting process of habitats supporting the species No significant disturbance of the species
Qualifying Species	 Capercaillie (Tetrao urogallus) Hen Harrier (Circus cyaneus) Osprey (Pandion halietus) Scottish crossbill (Loxia scotica)
Site Condition	 Blanket bog* 2007, Favourable maintained Caledonian forest* 2005, Favourable maintained Dry heaths 2005, Favourable maintained Wet heathland with cross-leaved heath 2005, favourable maintained Otter (Lutra lutra) 2007, Favourable maintained Capercaillie (Tetrao urogallus) 2005, Unfavourable declining Hen Harrier (Circus cyaneus) 2005, Favourable maintained Osprey (Pandion halietus), Favourable maintained Scottish crossbill (Loxia scotica) not monitored to date
Factors currently influencing site	In terms of development, none at present
Vulnerabilities to change/potential effects of the plan	No specific vulnerabilities identified

Name of European Site	Greenhill of Strathdon
Site Type	Special Area of Conservation
Conservation Objectives	To avoid deterioration of the qualifying habitat (listed below) thus ensuring that the integrity of the site is maintained and the site makes an appropriate contribution to achieving favourable conservation status for each of the qualifying features; and To ensure for the qualifying habitats that the following are maintained in the long
	 term: Extent of the habitat on site Distribution of the habitat within the site Structure and function of the habitat Process supporting the site Distribution of typical species of the habitat

	 Viability of typical species as components of the habitat No significant disturbance of typical species of the habitat
Qualifying Habitat	 Dry heaths Grasslands on soils rich in heavy metals Juniper on heaths or calcareous grasslands
Site Condition	 Dry heaths, 2009, Favourable maintained Grasslands on soils rich in heavy metals, 2009, Favourable maintained Juniper on heaths or calcareous grasslands, 2005, Favourable maintained
Factors currently influencing site	In terms of development, none at present
Vulnerabilities to change/potential effects of the plan	No specific vulnerabilities identified

Name of European Site	Insh Marshes
Site Type	Special Area of Conservation
Conservation Objectives	 To avoid deterioration of the qualifying habitat (listed below) thus ensuring that the integrity of the site is maintained and the site makes an appropriate contribution to achieving favourable conservation status for each of the qualifying features; and To ensure for the qualifying habitats that the following are maintained in the long term: Extent of the habitat on site Distribution of the habitat within the site Structure and function of the habitat Process supporting the site Distribution of typical species of the habitat Viability of typical species as components of the habitat
Qualifying Habitats	 Alder woodland on floodplains* Clear-water lakes or lochs with aquatic vegetation and poor to moderate nutrient levels Very wet mires often identified by an unstable 'quaking' surface (* indicates priority habitat)
Site Type	Special Area of Conservation
Conservation Objectives	To avoid deterioration of the habitats of the qualifying species (listed below) or significant disturbance to the qualifying species, thus ensuring that the integrity of the site is maintained and the site makes an appropriate contribution to achieving favourable conservation status for each of the qualifying features; and To ensure for the qualifying species that the following are maintained in the long term: • Population of the species as a viable component of the site • Distribution of the species within the site • Distribution and extend of habitats supporting the species • Structure, function and supporting process of habitats supporting the species
	No significant disturbance of the species
Qualifying Species Site Condition	 Otter (Lutra lutra) Alder woodland on floodplains* ,2009, Unfavourable recovering Clear-water lakes or lochs with aquatic vegetation and poor to moderate nutrient levels, 2005, Favourable maintained Very wet mires often identified by an unstable 'quaking' surface, 2005,

	 Favourable maintained Otter (Lutra lutra), 2007, Favourable maintained
Factors currently influencing site	Potential impacts from new development due to additional nutrient loading.
Vulnerabilities to change/potential effects of the plan	 Effects on water quality including sewerage treatment, release of minerals, contamination or other waste Relevant settlements: Kingussie, Newtonmore, Insh

Name of European Site	Kinveachy Forest
Site Type	Special Area of Conservation
Conservation Objectives	To avoid deterioration of the qualifying habitat (listed below) thus ensuring that the integrity of the site is maintained and the site makes an appropriate contribution to achieving favourable conservation status for each of the qualifying features; and To ensure for the qualifying habitats that the following are maintained in the long
	term:Extent of the habitat on site
	 Distribution of the habitat within the site Structure and function of the habitat
	 Structure and function of the habitat Process supporting the site
	Process supporting the siteDistribution of typical species of the habitat
	 Viability of typical species as components of the habitat
	 No significant disturbance of typical species of the habitat
Qualifying Habitats	Bog woodland*
	 Caledonian forest*
	(* indicates priority habitat)
Site Type	Special Protection Area
Conservation Objectives	To avoid deterioration of the habitats of the qualifying species (listed below) or significant disturbance to the qualifying species, thus ensuring that the integrity of the site is maintained; and
	To ensure for the qualifying species that the following are maintained in the long term:
	 Population of the species as a viable component of the site
	 Distribution of the species within the site Distribution and a factorized a factorized and a factor
	 Distribution and extend of habitats supporting the species Structure function and supporting process of habitats supporting the species
	 Structure, function and supporting process of habitats supporting the species No significant disturbance of the species
Qualifying Species	Capercaillie (Tetrao urogallus)
	 Scottish crossbill (Loxia scotica)
Site Condition	 Bog woodland*, 2009 Unfavourable recovering
	 Caledonian forest*, 2009, Unfavourable recovering
	 Capercaillie (Tetrao urogallus), 2009, Favourable maintained
	 Scottish crossbill (Loxia scotica), not monitored to date
Factors currently influencing site	In terms of development, none at present
Vulnerabilities to	Recreational disturbance from development in neighbouring areas
change/potential effects of the plan	Relevant settlements: Boat of Garten

Name of European Site	Ladder Hills
Site Type	Special Area of Conservation
Conservation Objectives	To avoid deterioration of the qualifying habitat (listed below) thus ensuring that the integrity of the site is maintained and the site makes an appropriate contribution to achieving favourable conservation status for each of the qualifying features; and
	To ensure for the qualifying habitats that the following are maintained in the long term:
	• Extent of the habitat on site
	 Distribution of the habitat within the site
	Structure and function of the habitat
	Process supporting the site
	 Distribution of typical species of the habitat
	 Viability of typical species as components of the habitat
	No significant disturbance of typical species of the habitat
Qualifying Habitats	Alpine and subalpine heaths
	Blanket bog*
	Dry heaths
	(*indicates priority habitat)
Site Condition	Alpine and sub-alpine heaths – 1999 – Favourable maintained
	Blanket bog – 1999 – Favourable maintained
	Dry heaths – 2007 – Unfavourable declining
Factors currently	In terms of development, none at present
influencing site Vulnerabilities to	Potential offects from development in the neighbouring Lacht dui contro
change/potential effects of the plan	Potential effects from development in the neighbouring Lecht ski centre No specific vulnerabilities identified

Name of European Site	Loch Vaa
Site Type	Special Protection Area
Conservation Objectives	To avoid deterioration of the habitats of the qualifying species (listed below) or significant disturbance to the qualifying species, thus ensuring that the integrity of the site is maintained; and
	To ensure for the qualifying species that the following are maintained in the long term:
	 Population of the species as a viable component of the site
	 Distribution of the species within the site
	 Distribution and extend of habitats supporting the species
	• Structure, function and supporting process of habitats supporting the species No significant disturbance of the species
Qualifying species	Slavonian grebe (Podiceps auritus)
Site Condition	 Slavonian grebe (Podiceps auritus), 2010, Unfavourable no change
Factors currently influencing site	In terms of development, none at present
Vulnerabilities to change/potential effects of the plan	 Effects on water quality including sewerage treatment, release of minerals, contamination or other waste

Name of European Site	Lochnagar
Site Type	Special Protection Area
Conservation Objectives	To avoid deterioration of the habitats of the qualifying species (listed below) or significant disturbance to the qualifying species, thus ensuring that the integrity of the site is maintained; and
	To ensure for the qualifying species that the following are maintained in the long term:
	 Population of the species as a viable component of the site
	 Distribution of the species within the site
	 Distribution and extend of habitats supporting the species
	 Structure, function and supporting process of habitats supporting the species No significant disturbance of the species
Qualifying Species	Dotterel (Charadrius morinellus)
Site Condition	• Dotterel (Charadrius morinellus), 2005, Favourable maintained
Factors currently influencing site	In terms of development, none at present
Vulnerabilities to change/potential effects of the plan	No specific vulnerabilities identified

Name of European Site	Monadhliath
Site Type	Special Area of Conservation
Conservation Objectives	To avoid deterioration of the qualifying habitat (listed below) thus ensuring that the integrity of the site is maintained and the site makes an appropriate contribution to achieving favourable conservation status for each of the qualifying features; and
	To ensure for the qualifying habitats that the following are maintained in the long term:
	 Extent of the habitat on site
	 Distribution of the habitat within the site
	 Structure and function of the habitat
	 Process supporting the site
	 Distribution of typical species of the habitat
	 Viability of typical species as components of the habitat
	 No significant disturbance of typical species of the habitat
Qualifying Habitat	 Blanket bog*
	(* indicates priority habitat)
Site Condition	 Blanket bog*, 2005, Unfavourable no change
Factors currently influencing site	In terms of development, none at present
Vulnerabilities to change/potential effects of the plan	No specific vulnerabilities identified

Name of European Site	Morrone Birkwood
Site Type	Special Area of Conservation

Conservation Objectives	To avoid deterioration of the qualifying habitat (listed below) thus ensuring that the integrity of the site is maintained and the site makes an appropriate contribution to achieving favourable conservation status for each of the qualifying features; and
	 To ensure for the qualifying habitats that the following are maintained in the long term: Extent of the habitat on site Distribution of the habitat within the site Structure and function of the habitat Process supporting the site Distribution of typical species of the habitat Viability of typical species as components of the habitat No significant disturbance of typical species of the habitat
Qualifying Habitats	 Alpine and subalpine heaths Base-rich fens Dry grasslands and scrublands on chalk or limestone Hard-water springs depositing lime* High-altitude plant communities associated with areas of water seepage* Juniper on heaths or calcareous grasslands
Site Condition	 (*indicates priority habitat) Alpine and subalpine heaths, 2009, Favourable maintained Base-rich fens, 2010, Favourable maintained Dry grasslands and scrublands on chalk or limestone, 2005, Favourable maintained Hard-water springs depositing lime*, 2005, Favourable maintained High-altitude plant communities associated with areas of water seepage*, 2005, Favourable maintained Juniper on heaths or calcareous grasslands, 2005, Unfavourable declining
Factors currently influencing site	In terms of development, none at present
Vulnerabilities to change/potential effects of the plan	Possibly access to water supply for housing

Name of European Site	Morven and Mullachdubh
Site Type	Special Area of Conservation
Conservation Objectives	To avoid deterioration of the qualifying habitat (listed below) thus ensuring that the integrity of the site is maintained and the site makes an appropriate contribution to achieving favourable conservation status for each of the qualifying features; and To ensure for the qualifying habitats that the following are maintained in the long
	term: • Extent of the habitat on site • Distribution of the habitat within the site • Structure and function of the habitat • Process supporting the site • Distribution of typical species of the habitat • Viability of typical species as components of the habitat • No significant disturbance of typical species of the habitat
Qualifying Habitat	Juniper on heaths or calcareous grasslands
Site Condition	• Juniper on heaths or calcareous grasslands, 2011, Favourable maintained

Factors currently influencing site	In terms of development, none at present
Vulnerabilities to change/potential effects of the plan	No specific vulnerabilities identified

Name of European Site	Muir of Dinnet
Site Type	Special Area of Conservation
Conservation Objectives	To avoid deterioration of the qualifying habitat (listed below) thus ensuring that the integrity of the site is maintained and the site makes an appropriate contribution to achieving favourable conservation status for each of the qualifying features; and
	To ensure for the qualifying habitats that the following are maintained in the long term: • Extent of the habitat on site
	 Distribution of the habitat within the site
	 Structure and function of the habitat
	Process supporting the site
	 Distribution of typical species of the habitat
	 Viability of typical species as components of the habitat
	 No significant disturbance of typical species of the habitat
Qualifying Habitats	 Clear water lakes or lochs with aquatic vegetation and poor to moderate nutrient levels
	Degraded raised bogs Declarate
	 Dry heaths Versus a stress of the identified by an unstable 'surface' surface
C :4 T	Very wet mires often identified by an unstable 'quaking' surface
Site Type	Special Area of Conservation
Conservation Objectives	To avoid deterioration of the habitats of the qualifying species (listed below) or significant disturbance to the qualifying species, thus ensuring that the integrity of the site is maintained and the site makes an appropriate contribution to achieving favourable conservation status for each of the qualifying features; and
	To ensure for the qualifying species that the following are maintained in the long term:
	 Population of the species as a viable component of the site
	• Distribution of the species within the site
	 Distribution and extend of habitats supporting the species
	 Structure, function and supporting process of habitats supporting the species No significant disturbance of the species
Qualifying Species	Otter (Lutra lutra)
Site Type	Special Protection Area
Conservation Objectives	To avoid deterioration of the habitats of the qualifying species (listed below) or significant disturbance to the qualifying species, thus ensuring that the integrity of the site is maintained; and
	To ensure for the qualifying species that the following are maintained in the long term:
	 Population of the species as a viable component of the site
	 Distribution of the species within the site
	 Distribution and extend of habitats supporting the species
	• Structure, function and supporting process of habitats supporting the species
	 No significant disturbance of the species
Qualifying Species	Greylag goose (Anser anser)

	Waterfowl assemblage
Site Type	Ramsar Site
Feature	 Greylag goose (Anser anser)
Site Description	The Muir of Dinnet Ramsar Site comprises two neighbouring freshwater lochs (Davan and Kinord) in the Deeside are of Aberdeenshire, Scotland. The entire area of the SPA falls within Muir of Dinnet SSSI and NNR.
Site Condition	 Clear water lakes or lochs with aquatic vegetation and poor to moderate nutrient levels, 2005, Favourable maintained Degraded raised bogs, 2005, Favourable maintained Dry heaths, 2005, Unfavourable declining Very wet mires often identified by an unstable 'quaking' surface, 2005, Unfavourable no change Otter (Lutra lutra), 2007, Favourable maintained Greylag goose (Anser anser), 2005, Favourable maintained Waterfowl assemblage, 2005, Unfavourable declining
Factors currently influencing site	In terms of development, none at present
Vulnerabilities to change/potential effects of the plan	Potential effects on water quality from neighbouring developments. Potential for recreational disturbance from neighbouring areas. Relevant settlement: Dinnet

Name of European Site	River Dee
Site Type	Special Area of Conservation
Conservation Objectives	To avoid deterioration of the habitats of the qualifying species (listed below) or significant disturbance to the qualifying species, thus ensuring that the integrity of the site is maintained and the site makes an appropriate contribution to achieving favourable conservation status for each of the qualifying features; and
	To ensure for the qualifying habitats that the following are maintained in the long term:
	 Population of the species, including range of genetic types for salmon, as a viable component of the site Distribution for the site
	Distribution of the species within site
	Distribution and extent of habitats supporting the species
	 Structure, function and supporting processes of habitats supporting the species
	 No significant disturbance to the species
	 Distribution and viability of freshwater pearl mussel host species
	 Structure, function and supporting processes of habitats supporting freshwater pearl mussel host species
Qualifying Interest(s)	Atlantic salmon
	Freshwater pearl musselOtter
Site Condition	Atlantic salmon, 2007, Favourable maintained
	 Freshwater pearl mussel, 2005, Unfavourable no change
	Otter, 2007, Favourable maintained
Factors currently influencing site	In terms of development, none at present
Vulnerabilities to	• Effects on water quality including sewerage treatment, release of minerals,
change/potential effects	contamination or other waste
of the plan	 Functioning of flood plains and the river system
	Water abstraction
	Micro-hydro schemes
	River engineering

	•	Rainbow trout fisheries Relevant settlements: Braemar, Ballater, Dinnet
--	---	--

Name of European Site	River South Esk			
Site Type	Special Area of Conservation			
Conservation Objectives	To avoid deterioration of the habitats of the qualifying species (listed below) or significant disturbance to the qualifying species, thus ensuring that the integrity of the site is maintained and the site makes an appropriate contribution to achieving favourable conservation status for each of the qualifying features; and To ensure for the qualifying habitats that the following are maintained in the long			
	 term: Population of the species, including range of genetic types for salmon, as a viable component of the site Distribution of the species within site 			
	 Distribution of the species within site Distribution and extent of habitats supporting the species 			
	 Structure, function and supporting processes of habitats supporting the species 			
	 No significant disturbance to the species Distribution and tability of fourth action and have a size of the state of the s			
	 Distribution and viability of freshwater pearl mussel host species Structure, function and supporting processes of habitats supporting freshwater pearl mussel host species 			
Qualifying Species	 Atlantic salmon Freshwater pearl mussel 			
Site Condition	 Atlantic salmon, 2007, Unfavourable recovering Freshwater pearl mussel, 2005, Unfavourable declining 			
Factors currently	Diffuse pollution from agricultural operations, illegal collection of freshwater pearl			
influencing site	mussels, morphological alterations to river channel.			
Vulnerabilities to change/potential effects of the plan	 Effects on water quality including sewerage treatment, release of minerals, sedimentation, contamination or other waste Functioning of flood plains and the river system 			

Name of European Site	River Spey – Insh Marshes
Site Type	Special Protection Area
Conservation Objectives	To avoid deterioration of the habitats of the qualifying species (listed below) or significant disturbance to the qualifying species, thus ensuring that the integrity of the site is maintained; and
	To ensure for the qualifying species that the following are maintained in the long term:
	 Population of the species as a viable component of the site
	• Distribution of the species within the site
	 Distribution and extend of habitats supporting the species
	 Structure, function and supporting process of habitats supporting the species No significant disturbance of the species
Qualifying Interest(s)	Hen harrier (Circus cyaneus)
	Osprey (Pandion haliaetus)
	Spotted crake (Porzana porzana)
	Whooper swan (Cygnus Cygnus)
	Wigeon (Anus Penelope)
	 Woodsandpiper (Tringa galeola)

Site Type	Ramsar Site
Feature	Breeding bird assemblage
	Flood-plain fen
	Mesotropic loch
	Tropic range river/stream
	Whooper swan (Cygnus Cygnus)
Site description	The River Spey-Insh Marshes site is a mosaic of freshwater wetland habitats. The River Spey is considered to be a unique example in Britain of a large, high altitude, but slow flowing river. Loch Insh is, however, noted for its exceptionally rapid water turnover and is an excellent example of a mesotrophic loch, an uncommon type in Britain. The Insh Marshes form the largest, most northerly, single-unit flood-plain mire of the poor fen type in Great Britain.
	The boundaries of the Ramsar site are coincident with those of the River Spey-Insh Marshes SSSI.
Site Condition	 Hen harrier (Circus cyaneus), 2010, Favourable maintained Osprey (Pandion haliaetus), 2009, Favourable maintained Spotted crake (Porzana porzana), 2005, Favourable maintained Whooper swan (Cygnus Cygnus), 2010, Favourable maintained Wigeon (Anus Penelope), 2010, Unfavourable no change Woodsandpiper (Tringa galeola), 2005, Unfavourable declining Breeding bird assemblage, 2005, Favourable maintained Floodplain fen, 2005, Favourable maintained Mesotrophic loch, 2005, Favourable maintained Trophic range river/stream, 2005, Favourable maintained
Factors currently influencing site	Potential impacts from new development due to additional nutrient loading.
Vulnerabilities to change/potential effects of the plan	 Recreational disturbance from development in neighbouring areas Effects on water quality including sewerage treatment, release of minerals, contamination or other waste Functioning of flood plains and the river system Relevant settlements: Kingussie, Newtonmore, Insh

Name of European Site	River Spey
Site Type	Special Area of Conservation
Conservation Objectives	To avoid deterioration of the habitats of the qualifying species (listed below) or significant disturbance to the qualifying species, thus ensuring that the integrity of the site is maintained and the site makes an appropriate contribution to achieving favourable conservation status for each of the qualifying features; and
	To ensure for the qualifying habitats that the following are maintained in the long term:
	 Population of the species, including range of genetic types for salmon, as a viable component of the site
	 Distribution of the species within site
	 Distribution and extent of habitats supporting the species
	 Structure, function and supporting processes of habitats supporting the species
	 No significant disturbance to the species
	 Distribution and viability of freshwater pearl mussel host species
	 Structure, function and supporting processes of habitats supporting freshwater pearl mussel host species

Qualifying Interest(s)	 Atlantic salmon Freshwater pearl mussel Otter Sea lamprey
Site Condition	 Atlantic salmon, 2005, Unfavourable recovering Freshwater pearl mussel, 2005, Unfavourable recovering Otter, 2007, Favourable maintained Sea lamprey, 2007, Favourable maintained
Factors currently influencing site	In terms of development, none at present
Vulnerabilities to change/potential effects of the plan	 Effects on water quality including sewerage treatment, release of minerals, contamination or other pollution and waste Functioning of flood plains and the river system Abstraction of water Relevant settlements: Dalwhinnie, Newtonmore, Kingussie, An Camus Mor, Aviemore, Inverdruie, Kincraig, Insh, Boat of Garten, Carrbridge, Dulnain Bridge, Nethy Bridge, Grantown-on-Spey, Cromdale,

Name of European Site	River Tay
Site Type	Special Area of Conservation
Conservation Objectives	To avoid deterioration of the habitats of the qualifying species (listed below) or significant disturbance to the qualifying species, thus ensuring that the integrity of the site is maintained and the site makes an appropriate contribution to achieving favourable conservation status for each of the qualifying features; and
	To ensure for the qualifying habitats that the following are maintained in the long term:
	 Population of the species, including range of genetic types for salmon, as a viable component of the site Distribution of the species within site
	 Distribution of the species within site Distribution and extent of habitats supporting the species Structure, function and supporting processes of habitats supporting the species
	 No significant disturbance to the species Distribution and viability of freshwater pearl mussel host species Structure, function and supporting processes of habitats supporting freshwater pearl mussel host species
Qualifying interests	 Atlantic salmon (Salmo salar) Brook lamprey (Lampetra planeri) Clear-water lakes or lochs with aquatic vegetation and poor to moderate nutrient levels. Otter (Lutra lutra) River lamprey (Lampetra fluviatilis) Sea lamprey (Petromyzon marinus)
Site Condition	 Atlantic salmon (Salmo salar), 2007, Favourable maintained Brook lamprey (Lampetra planeri), 2010, Favourable maintained Clear-water lakes or lochs with aquatic vegetation and poor to moderate nutrient levels, 2005, Favourable maintained Otter (Lutra lutra), 2007, Favourable maintained River lamprey (Lampetra fluviatilis), 2010, Favourable maintained Sea lamprey (Petromyzon marinus), 2010, Favourable maintained
Factors currently	In terms of development, none at present

influencing site		
Vulnerabilities to	•	Effects on water quality including sewerage treatment, release of minerals,
change/potential effects		contamination or other waste
of the plan	•	Functioning of flood plains and the river system
-	•	Relevant settlements: Blair Atholl

Name of European Site	The Maim
Site Type	Special Area of Conservation
Conservation Objectives	To avoid deterioration of the qualifying habitat (listed below) thus ensuring that the integrity of the site is maintained and the site makes an appropriate contribution to achieving favourable conservation status for each of the qualifying features; and
	To ensure for the qualifying habitat that the following are maintained in the long term:
	• Extent of the habitat on site
	 Distribution of the habitat within site
	Structure and function of the habitat
	 Processes supporting the habitat
	 Distribution of typical species of the habitat
	 Viability of typical species of the habitat
	 No significant disturbance of typical species of the habitat
Qualifying Interest(s)	Dry heaths
Site Condition	 Dry heaths, 2010, Unfavourable no change
Factors currently influencing site	In terms of development, none at present
Vulnerabilities to change/potential effects of the plan	No specific vulnerabilities identified

4. Screening of the Main Issues

The following aspects of the Main Issues Report would not be likely to have a significant effect alone on a European site for the reasons given:

General policy statements	Vision
Proposals excluded from this appraisal because they are not proposals generated by this plan	 Aviemore – 4 sites with existing permission Newtonmore – portion of H1site with permission pending completion of legal agreement Kingussie – 1 site with existing permission and 1 site with permission pending completion of legal agreement Braemar – 2 sites with existing permission and 2 sites with permission pending completion of legal agreement Carrbridge – Site (comprising 3 sections) with existing permission Cromdale – site with existing permission Dalwhinnie – site with existing permission Dulnain Bridge – site with existing permission Nethy Bridge – 2 sites (comprising 3 sections) with existing permission
Aspects which are too general so that it is not known where, when or how the aspect of the plan may be implemented, or where potential effects may occur, or which European sites, if any, may be affected	 Issue I Special Qualities Issue 2 Resources Issue 3 Sustainable Communities Issue 4 Housing/Affordable Housing Issue 6 Support for Rural Areas Issue 7 Connectivity and Communications Other issues proposed

Given that it is not possible to assess the issues and options proposed because they are too general, it is also not possible to assess the likely cumulative effects of potential policy approaches at this stage. Assessment of proposed policies will be carried out when developing the Proposed Development Plan.

The exception is Issue 5, settlement strategy, in which the specific options for allocations in the Main Issues Report can be assessed.

Considering the potential vulnerabilities of the Natura sites and relevant settlements identified in section 3, likely effects on Natura sites arising from development in the following settlements cannot be excluded:

Settlement	Relevant Natura site
An Camus Mor	River Spey SAC

Aviemore	River Spey SAC
Ballater	River Dee SAC
Grantown on Spey	Anagach Woods SPA, River Spey SAC
Kingussie	River Spey SAC, Insh Marshes SAC, River Spey - Insh
	Marshes SPA
Newtonmore	River Spey SAC, Insh Marshes SAC, River Spey - Insh
	Marshes SPA
Blair Atholl	River Tay SAC
Boat of Garten	Kinveachy Forest SPA
	Abernethy SPA
	Craigmore Wood SPA
	Cairngorms SPA
Braemar	River Dee SAC
Carr-Bridge	River Spey SAC
Cromdale	River Spey SAC
Dalwhinnie	River Spey SAC
Dinnet	River Dee SAC, Muir of Dinnet SPA
Dulnain Bridge	River Spey SAC
Kincraig	River Spey SAC
-	River Spey & Insh Marshes SPA
Nethy Bridge	River Spey SAC, Abernethy SPA
	Craigmore Wood SPA

Therefore the following options for housing and economic development allocations identified in the Main Issues Report (Issue 5) would be likely to have a significant effect, either alone or in combination, on the following Natura sites. These options should therefore be subject to appropriate assessment.

Option	Natura site and qualifying interest
An Camas Mor	River Spey SAC
Aviemore ED I and 2	River Spey SAC
Ballater HI	River Dee SAC
Ballater EDI	River Dee SAC
Grantown-on-Spey HI	Anagach Woods SPA
	River Spey SAC
Grantown-on-Spey ED1 (Woodlands Industrial Estate)	River Spey SAC
Grantown-on-Spey ED2 (Achnagonalin	River Spey SAC
Industrial Estate)	. ,
Kingussie ED1 and ED2	River Spey SAC
Newtonmore HI & H2	River Spey SAC
	Insh Marshes SAC
	River Spey – Insh Marshes SPA
Newtonmore EDI and ED2	River Spey SAC
Blair Atholl	River Tay SAC
Boat of Garten	Kinveachy Forest SPA
	Abernethy SPA
	Craigmore Wood SPA
	Cairngorms SPA
Braemar	River Dee SAC
Carrbridge ED1	River Spey SAC
Cromdale	River Spey SAC
Dalwhinnie HI & H3	River Spey SAC
Dinnet	River Dee SAC, Muir of Dinnet SAC/SPA

Dulnain Bridge	River Spey SAC
Kincraig H1 and ED1	River Spey SAC
	River Spey and Insh Marshes SPA
Nethy Bridge	River Spey SAC
	Abernethy SPA
	Craigmore Wood SPA

5. Preliminary Appropriate Assessment

This is a preliminary appropriate assessment, carried out to inform the identification of options in the Main Issues Report. A full Habitats Regulations Assessment will be carried out and recorded when developing the Proposed Local Development Plan, in which proposed sites (as well as policies) will be clearly identified. Given the relevance of multiple settlements to each Natura site, the assessment is set out by Natura site.

Name of European Site	Abernethy Forest	
Site Type	Special Protection Area	
Conservation Objectives	 To avoid deterioration of the habitats of the qualifying species (listed below) or significant disturbance to the qualifying species, thus ensuring that the integrity of the site is maintained; and To ensure for the qualifying species that the following are maintained in the long term: Population of the species as a viable component of the site Distribution of the species within the site Distribution and extend of habitats supporting the species Structure, function and supporting process of habitats supporting the species 	
	 No significant disturbance of the species 	
Qualifying Species	 Capercaillie (Tetrao urogallus) Osprey (Pandion haliaetus) Scottish crossbill (Loxia scotica) 	
Settlement	Effect on conservation objectives	
assessment		
Boat of Garten	The Main Issues Report proposes 2 options, identifying 4 potential new housing allocations and one existing economic development allocation. In theory the proposals could result in increased disturbance to capercaillie as a result of increased recreational use of the Boat of Garten woods. However, the most intensive daily use is generally on paths close to houses and in areas of woodland that are already well used. The scale and varied location of the allocations through the village are therefore unlikely to result in a significant impact. The site adjacent to the woodland has greatest potential for impact, but well-considered access provision into areas of woodland currently well used would reduce effects to the extent that the proposals would be unlikely to negatively affect capercaillie within Boat of Garten Wood sufficiently to affect the maintenance of the populations as a viable component of the Natura sites, or their distribution within the Natura sites.	
Nethy Bridge	The Main Issues Report proposes no allocations in Nethy Bridge. These proposals will therefore not detract from meeting the site's conservation objectives.	
Conclusion on site integrity	Implementing proposals will not detract from meeting the conservation objectives and thus site integrity will not be adversely affected.	

Name of European Site	Anagach Woods
Site Type	Special Protection Area
Conservation	To avoid deterioration of the habitats of the qualifying species (listed

Objectives	 below) or significant disturbance to the qualifying species, thus ensuring that the integrity of the site is maintained; and To ensure for the qualifying species that the following are maintained in the long term: Population of the species as a viable component of the site Distribution of the species within the site Distribution and extend of habitats supporting the species Structure, function and supporting process of habitats supporting the species No significant disturbance of the species
Qualifying Species	Capercaillie (Tetrao urogallus)
Settlement assessment	Effect on conservation objectives
Grantown-on-Spey	Development at H1 could in theory lead to an increase in numbers of people using the network of paths within Anagach Woods SPA and potentially disturbing capercaillie. This network of paths is currently popular with both locals and visitors. However, significant additional disturbance is not likely in practice for two reasons: I. a substantial increase in recreational use of Anagach is not likely because the site proposed for new housing lies on the opposite (NW) side of the town. The new houses would thus be closer to the network of promoted paths in the area around the Dreggie and the former railway line, than they would be to the paths in Anagach Woods. People living in the houses would be generally more likely to walk on the local path network, with only a smaller proportion crossing town to walk in Anagach. 2. Even if there was an increase in the number of people walking in Anagach, it is most likely that they would follow the existing popular promoted routes which are well managed and maintained. This management includes providing advice for people on avoiding disturbance to capercaillie at sensitive times of year. Habitual recreational use of well-designed track networks is not thought to significantly disturb capercaillie. These proposals will therefore not detract from meeting the site's conservation objectives.
Conclusion on site	Implementing proposals will not detract from meeting the conservation
integrity	objectives and thus site integrity will not be adversely affected.

Name of European Site	Cairngorms
Site Type	Special Protection Area
Conservation Objectives	To avoid deterioration of the habitats of the qualifying species (listed below) or significant disturbance to the qualifying species, thus ensuring that the integrity of the site is maintained; and
	 To ensure for the qualifying species that the following are maintained in the long term: Population of the species as a viable component of the site Distribution of the species within the site Distribution and extend of habitats supporting the species Structure, function and supporting process of habitats supporting the species No significant disturbance of the species

Qualifying Species	 Capercaillie (Tetrao urogallus) Dotterel (Charadrius moninellus) Golden eagle (Aquila chrysaetos) Merlin (Falco columbarius) Osprey (Panion haliaetus) Peregrine (Falco peregrinus) Scottish crossbill (Loxia scotica)
	The Cairngorms SPA qualified under Article 4.1 by supporting an internally important population of Scottish crossbill Loxia scotica (an estimated 60 individuals, representing in the order of 10% of the total world population of this species); and nationally important populations of: golden eagle Aquila chrysaetos (12 pairs, 3% of GB), peregrine Falco peregrinus (12 pairs, 1% of GB), merlin Falco columbarius (14 pairs, 1% of GB), osprey Panion haliaetus (2 pairs, 2% of GB), capercaillie Tetrao urogallus (at least 130 individuals, 12% of GB), and dotterel Charadrius moninellus (240 pairs, 28% GB). The SPA is also important for dotterel as a gathering ground during the spring and autumn passage periods for individuals that breed elsewhere in Scotland and Europe.
Settlement assessment	Effect on conservation objectives
Boat of Garten	The Main Issues Report proposes 2 options, identifying 4 potential new housing allocations and one existing economic development allocation. In theory the proposals could result in increased disturbance to capercaillie as a result of increased recreational use of the Boat of Garten woods. However, the most intensive daily use is generally on paths close to houses and in areas of woodland that are already well used. The scale and varied location of the allocations through the village are therefore unlikely to result in a significant impact. The site adjacent to the woodland has greatest potential for impact, but well-considered access provision into areas of woodland currently well used would reduce effects to the extent that the proposals would be unlikely to affect the maintenance of the populations as a viable component of the Natura sites, or their distribution within the Natura sites.
Conclusion on site integrity	Implementing proposals will not detract from meeting the conservation objectives and thus site integrity will not be adversely affected.

Craigmore Wood
Special Protection Area
To avoid deterioration of the habitats of the qualifying species (listed below) or significant disturbance to the qualifying species, thus ensuring that the integrity of the site is maintained; and
 To ensure for the qualifying species that the following are maintained in the long term: Population of the species as a viable component of the site Distribution of the species within the site Distribution and extend of habitats supporting the species Structure, function and supporting process of habitats supporting

	No significant disturbance of the species
Qualifying Species	Capercaillie (Tetrao urogallus)
Settlement assessment	Effect on conservation objectives
Boat of Garten	The Main Issues Report proposes 2 options, identifying 4 potential new housing allocations and one existing economic development allocation. In theory the proposals could result in increased disturbance to capercaillie as a result of increased recreational use of the Boat of Garten woods. However, the most intensive daily use is generally on paths close to houses and in areas of woodland that are already well used. The scale and varied location of the allocations through the village are therefore unlikely to result in a significant impact. The site adjacent to the woodland has greatest potential for impact, but well-considered access provision into areas of woodland currently well used would reduce effects to the extent that the proposals would be unlikely to negatively affect capercaillie within Boat of Garten Wood sufficiently to affect the maintenance of the populations as a viable component of the Natura sites, or their distribution within the Natura sites.
Nethy Bridge	The Main Issues Report proposes no allocations in Nethy Bridge.
Conclusion on site	Implementing proposals will not detract from meeting the conservation
integrity	objectives and thus site integrity will not be adversely affected.

Name of European Site	Insh Marshes
Site Type	Special Area of Conservation
Conservation Objectives	 To avoid deterioration of the qualifying habitat (listed below) thus ensuring that the integrity of the site is maintained and the site makes an appropriate contribution to achieving favourable conservation status for each of the qualifying features; and To ensure for the qualifying habitats that the following are maintained in the long term: Extent of the habitat on site Distribution of the habitat within the site Structure and function of the habitat Process supporting the site Distribution of typical species of the habitat Viability of typical species as components of the habitat
Qualifying Habitats	 Alder woodland on floodplains* Clear-water lakes or lochs with aquatic vegetation and poor to moderate nutrient levels Very wet mires often identified by an unstable 'quaking' surface (* indicates priority habitat)
Site Type	Special Area of Conservation
Conservation Objectives	To avoid deterioration of the habitats of the qualifying species (listed below) or significant disturbance to the qualifying species, thus ensuring that the integrity of the site is maintained and the site makes an appropriate contribution to achieving favourable conservation status for each of the qualifying features; and

Qualifying Species Settlement	 To ensure for the qualifying species that the following are maintained in the long term: Population of the species as a viable component of the site Distribution of the species within the site Distribution and extend of habitats supporting the species Structure, function and supporting process of habitats supporting the species No significant disturbance of the species Otter (Lutra lutra)
assessment	
Kingussie	The Main Issues Report proposes no new allocations for housing and retention of the existing allocation for economic development in Kingussie. In theory development in line with the proposals in Kingussie could lead to impacts on the qualifying habitats, the qualifying species or the supporting habitats within the site if, during construction, physical or chemical contaminants were released into watercourses that flow into Insh Marshes. Mitigation could require that for applications that involve ground disturbance near to watercourses, identifying appropriate guidance for developers to follow to avoid releases of sediment or chemicals into watercourses during construction. Hence implementation of these proposals will not detract from meeting the site's conservation objectives.
Newtonmore	The Main Issues Report proposes an option for a housing allocation for the long term and retention of two existing economic development allocations. In theory development in line with the proposals in Newtonmore could lead to impacts on the qualifying habitats, the qualifying species or the supporting habitats within this site if, during construction, physical or chemical contaminants were released into watercourses that flow into Insh Marshes. Mitigation could require that for applications that involve ground disturbance near to watercourses, identifying appropriate guidance for developers to follow to avoid releases of sediment or chemicals into watercourses during construction. Hence implementation of these proposals will not detract from meeting the site's conservation objectives.
Conclusion on site integrity	Implementing the recommended mitigation will not detract from meeting the conservation objectives and thus site integrity will not be adversely affected.

Name of European Site	Kinveachy Forest
Site Type	Special Protection Area
Conservation Objectives	To avoid deterioration of the habitats of the qualifying species (listed below) or significant disturbance to the qualifying species, thus ensuring that the integrity of the site is maintained; and
	 To ensure for the qualifying species that the following are maintained in the long term: Population of the species as a viable component of the site Distribution of the species within the site Distribution and extend of habitats supporting the species Structure, function and supporting process of habitats supporting the species No significant disturbance of the species

Qualifying Species	Capercaillie (Tetrao urogallus)
	 Scottish crossbill (Loxia scotica)
Settlement Assessment	Effect on conservation objectives
Boat of Garten	The Main Issues Report proposes 2 options, identifying 4 potential new housing allocations and one existing economic development allocation. In theory the proposals could result in increased disturbance to capercaillie as a result of increased recreational use of the Boat of Garten woods. However, the most intensive daily use is generally on paths close to houses and in areas of woodland that are already well used. The scale and varied location of the allocations through the village are therefore unlikely to result in a significant impact. The site adjacent to the woodland has greatest potential for impact, but well-considered access provision into areas of woodland currently well used would reduce effects to the extent that the proposals would be unlikely to negatively affect capercaillie within Boat of Garten Wood sufficiently to affect the maintenance of the populations as a viable component of the Natura sites, or their distribution within the Natura sites.
Conclusion on site integrity	Implementing proposals will not detract from meeting the conservation objectives and thus site integrity will not be adversely affected.

Name of European Site	Muir of Dinnet
Site Type	Special Area of Conservation
Conservation Objectives	To avoid deterioration of the qualifying habitat (listed below) thus ensuring that the integrity of the site is maintained and the site makes an appropriate contribution to achieving favourable conservation status for each of the qualifying features; and
	To ensure for the qualifying habitats that the following are maintained in the long term:
	• Extent of the habitat on site
	• Distribution of the habitat within the site
	 Structure and function of the habitat Dragona guide article the site
	 Process supporting the site Distribution of two isolar of the hebitat
	 Distribution of typical species of the habitat Viability of typical species as components of the habitat
	 No significant disturbance of typical species of the habitat
Qualifying Habitats	 Clear water lakes or lochs with aquatic vegetation and poor to moderate nutrient levels Degraded raised bogs Dry heaths Very wet mires often identified by an unstable 'quaking' surface
Site Type	Special Area of Conservation
Conservation Objectives	To avoid deterioration of the habitats of the qualifying species (listed below) or significant disturbance to the qualifying species, thus ensuring that the integrity of the site is maintained and the site makes an appropriate contribution to achieving favourable conservation status for each of the qualifying features; and
	 To ensure for the qualifying species that the following are maintained in the long term: Population of the species as a viable component of the site
	 Distribution of the species within the site

Qualifying Species Site Type Conservation Objectives	 Distribution and extend of habitats supporting the species Structure, function and supporting process of habitats supporting the species No significant disturbance of the species Otter (Lutra lutra) Special Protection Area To avoid deterioration of the habitats of the qualifying species (listed below) or significant disturbance to the qualifying species, thus ensuring that the integrity of the site is maintained; and To ensure for the qualifying species that the following are maintained in the long term: Population of the species as a viable component of the site Distribution and extend of habitats supporting the species Structure, function and supporting process of habitats supporting the species
Qualifying Species	 No significant disturbance of the species Greylag goose (Anser anser) Waterfowl assemblage
Settlement Assessment	
Dinnet	The Main Issues Report identifies options for two housing allocations and two economic development allocations in Dinnet. In theory these proposals could affect water quality and increase disturbance from recreation. However the scale and location of the proposals are unlikely to result in adverse effect on the conservation objectives. Mitigation could require that for applications that involve ground disturbance near to watercourses, identifying appropriate guidance for developers to follow to avoid releases of sediment or chemicals into watercourses during construction. Hence implementation of these proposals will not detract from meeting the site's conservation objectives.
Conclusion on site integrity	Implementing proposals will not detract from meeting the conservation objectives and thus site integrity will not be adversely affected.

Name of European Site	River Dee
Site Type	Special Area of Conservation
Conservation Objectives	 To avoid deterioration of the habitats of the qualifying species (listed below) or significant disturbance to the qualifying species, thus ensuring that the integrity of the site is maintained and the site makes an appropriate contribution to achieving favourable conservation status for each of the qualifying features; and To ensure for the qualifying habitats that the following are maintained in the long term: Population of the species, including range of genetic types for salmon, as a viable component of the site Distribution and extent of habitats supporting the species Structure, function and supporting processes of habitats supporting the species

Qualifying Interest(s) Settlement assessment	 No significant disturbance to the species Distribution and viability of freshwater pearl mussel host species Structure, function and supporting processes of habitats supporting freshwater pearl mussel host species Atlantic salmon Freshwater pearl mussel Otter Effect on conservation objectives
Braemar	The Main Issues Report identifies options for housing allocations in the medium and long term. In theory development in line with the proposals in Braemar could lead to impacts on the qualifying species or their supporting habitats within this site if, during construction, physical or chemical contaminants were released into watercourses that flow into the River Dee. In addition, CI and H2 are within the I in 200 year flood risk area identified by SEPA, and any flood mitigation works required in order to develop these sites could also lead to impacts on the qualifying species or their supporting habitats. In practice, however, all development proposals will have to comply with policies to protect Natura sites in accordance with the Conservation (Natural Heritage etc) Regulations 1994 (as amended). One of the ways this would be achieved is, for applications that involve ground disturbance near to watercourses, identifying appropriate guidance for developers to follow to avoid releases of sediment or chemicals into watercourses during construction. Construction and development could also cause in theory cause disturbance to otter, and surveys should be required where relevant. Hence implementation of these proposals will not detract from meeting the site's conservation objectives.
Ballater	The Main Issues Report proposes one site for phased housing development. In theory development in line with the proposals in Ballater could lead to impacts on the qualifying species or their supporting habitats within this site if, during construction, physical or chemical contaminants were released into watercourses that flow into the River Dee. This is a particular risk for development on sites ED1, which is adjacent to the SAC. In practice, however, all development proposals will have to comply with policies which protect Natura sites in accordance with the Conservation (Natural Heritage etc) Regulations 1994 (as amended). One of the ways this would be achieved is, for applications that involve ground disturbance near to watercourses, identifying appropriate guidance for developers to follow to avoid releases of sediment or chemicals into watercourses during construction. Hence implementation of these proposals will not detract from meeting the site's conservation objectives.
Dinnet	The Main Issues Report proposes two allocations for housing and two allocations for economic development. In theory development in line with the proposals in Dinnet could lead to impacts on the qualifying species or their supporting habitats within this site if, during construction, physical or chemical contaminants were released into watercourses that flow into the River Dee. In practice, however, all development proposals will have to comply with policies which protects Natura sites in accordance with the Conservation (Natural Heritage etc) Regulations 1994 (as amended). One of the ways this would be achieved is, for applications that involve ground disturbance near to watercourses, identifying appropriate guidance for developers to follow to avoid releases of sediment or chemicals into

	watercourses during construction. Hence implementation of these proposals will not detract from meeting the site's conservation objectives.
Conclusion on site integrity	Provided that policies to protect Natura sites are included in the Local Development Plan and implemented rigorously as described above, implementing the proposals will not detract from meeting the conservation objectives and thus site integrity will not be adversely affected.

Name of European Site	River Spey – Insh Marshes
Site Type	Special Protection Area
Conservation Objectives	To avoid deterioration of the habitats of the qualifying species (listed below) or significant disturbance to the qualifying species, thus ensuring that the integrity of the site is maintained; and
	 To ensure for the qualifying species that the following are maintained in the long term: Population of the species as a viable component of the site Distribution of the species within the site Distribution and extend of habitats supporting the species Structure, function and supporting process of habitats supporting
	 the species No significant disturbance of the species
Qualifying Interest(s)	 Hen harrier (Circus cyaneus) Osprey (Pandion haliaetus) Spotted crake (Porzana porzana) Whooper swan (Cygnus Cygnus) Wigeon (Anus Penelope) Woodsandpiper (Tringa galeola)
Site Type	Ramsar Site
Feature	Breeding bird assemblage
	Flood-plain fen
	Mesotropic loch
	Trophic range river/stream
	Whooper swan (Cygnus Cygnus)
Site description	The River Spey-Insh Marshes site is a mosaic of freshwater wetland habitats. The River Spey is considered to be a unique example in Britain of a large, high altitude, but slow flowing river. Loch Insh is, however, noted for its exceptionally rapid water turnover and is an excellent example of a mesotrophic loch, an uncommon type in Britain. The Insh Marshes form the largest, most northerly, single-unit flood-plain mire of the poor fen type in Great Britain.
	The boundaries of the Ramsar site are coincident with those of the River Spey-Insh Marshes SSSI.
Settlement assessment	Effect on conservation objectives
Kingussie	The Main Issues Report proposes no new allocations for housing and retention of the existing allocation for economic development in Kingussie. In theory development in line with the proposals in Kingussie could lead to impacts on the structure, function and supporting process of habitats

	supporting the qualifying species within this site if, during construction, physical or chemical contaminants were released into watercourses that flow into Insh Marshes, or into the Spey and thence to Insh Marshes. In practice, however, all development proposals will have to comply with Policy 2, which protects Natura sites in accordance with the Conservation (Natural Heritage etc) Regulations 1994 (as amended). One of the ways this would be achieved is, for applications that involve ground disturbance near to watercourses, identifying appropriate guidance for developers to follow to avoid releases of sediment or chemicals into watercourses during construction. Hence implementation of these proposals will not detract from meeting the site's conservation objectives.
Newtonmore	The Main Issues Report proposes an option for a housing allocation for the long term and retention of two existing economic development allocations. In theory development in line with the proposals in Newtonmore could lead to impacts on the structure, function and supporting process of habitats supporting the qualifying species within this site if, during construction, physical or chemical contaminants were released into watercourses that flow into Insh Marshes, or into the Spey and thence to Insh Marshes. In practice, however, all development proposals will have to comply with policies which protect Natura sites in accordance with the Conservation (Natural Heritage etc) Regulations 1994 (as amended). One of the ways this would be achieved is, for applications that involve ground disturbance near to watercourses, identifying appropriate guidance for developers to follow to avoid releases of sediment or chemicals into watercourses during construction. Hence implementation of these proposals will not detract from meeting the site's conservation objectives.
Conclusion on site integrity	Provided that policies to protect Natura sites are included in the Local Development Plan and implemented rigorously as described above, implementing the proposals will not detract from meeting the conservation objectives and thus site integrity will not be adversely affected.

Name of European Site	River Spey
Site Type	Special Area of Conservation
Conservation Objectives	To avoid deterioration of the habitats of the qualifying species (listed below) or significant disturbance to the qualifying species, thus ensuring that the integrity of the site is maintained and the site makes an appropriate contribution to achieving favourable conservation status for each of the qualifying features; and
	 To ensure for the qualifying habitats that the following are maintained in the long term: Population of the species, including range of genetic types for salmon, as a viable component of the site Distribution of the species within site Distribution and extent of habitats supporting the species Structure, function and supporting processes of habitats supporting the species No significant disturbance to the species Distribution and viability of freshwater pearl mussel host species Structure, function and supporting processes of habitats

<u> </u>	supporting freshwater pearl mussel host species
Qualifying Interest(s)	Atlantic salmon
	Freshwater pearl mussel
	OtterSea lamprey
Settlement	Effect on conservation objectives
assessment	Lifect on conservation objectives
An Camus Mor	In theory development in line with the proposals in An Camus Mor could lead to impacts on the qualifying species or their supporting habitats within this site if, during construction or subsequently, physical or chemical contaminants were released into the River Spey. Construction and development could also cause disturbance to otter. In practice, however, all development proposals will have to comply with policies which protects Natura sites in accordance with the Conservation (Natural Heritage etc) Regulations 1994 (as amended). One of the ways this would be achieved is, for applications that involve ground disturbance near to watercourses, identifying appropriate guidance for developers to follow to avoid releases
	of sediment or chemicals into watercourses during construction; to ensure that there is no potential for otter to become entangled in construction materials (eg overnight); and requiring otter surveys prior to submission of planning applications and designing developments to avoid damaging holts or disturbing these animals. Hence implementation of these proposals will not detract from meeting the site's conservation objectives.
Aviemore	The Main Issues Report proposes no new allocations for housing and retention of three existing economic development allocations in Aviemore. In theory development in line with the proposals in Aviemore could lead to impacts on the qualifying species or their supporting habitats within this site if, during construction or subsequently, physical or chemical contaminants were released into the River Spey. Developments on ED3 has the greatest potential to cause such impacts as a result of their proximity to the Spey and its tributaries. Construction on ED3 could also cause disturbance to otter.
	In practice, however, all development proposals will have to comply with policies which protect Natura sites in accordance with the Conservation (Natural Heritage etc) Regulations 1994 (as amended). One of the ways this would be achieved is, for applications that involve ground disturbance near to watercourses, identifying appropriate guidance for developers to follow to avoid releases of sediment or chemicals into watercourses during construction; and to ensure that there is no potential for otter to become entangled in construction materials (eg overnight). In addition, otter surveys could be required prior to submission of planning applications on site ED3, and the results used to design developments to avoid damaging holts or disturbing these animals. Hence implementation of these proposals will not detract from meeting the site's conservation objectives.
Kingussie	The Main Issues Report proposes no new allocations for housing and retention of the existing allocation for economic development in Kingussie. In theory development in line with the proposals in Kingussie could lead to impacts on the qualifying species or their supporting habitats within this site if, during construction or subsequently, physical or chemical contaminants were released into the River Spey. In practice, however, all development proposals will have to comply with policies

	which protect Natura sites in accordance with the Conservation (Natural Heritage etc) Regulations 1994 (as amended). One of the ways this would be achieved is, for applications that involve ground disturbance near to watercourses, identifying appropriate guidance for developers to follow to avoid releases of sediment or chemicals into watercourses during construction. Hence implementation of these proposals will not detract from meeting the site's conservation objectives.
Newtonmore	The Main Issues Report proposes an option for a housing allocation for the long term and retention of two existing economic development allocations. In theory development in line with the proposals in Newtonmore could lead to impacts on the qualifying species or their supporting habitats within this site if, during construction or subsequently, physical or chemical contaminants were released into the River Spey.
	In practice, however, all development proposals will have to comply with policies which protect Natura sites in accordance with the Conservation (Natural Heritage etc) Regulations 1994 (as amended). One of the ways this would be achieved is, for applications that involve ground disturbance near to watercourses, identifying appropriate guidance for developers to follow to avoid releases of sediment or chemicals into watercourses during construction; and to ensure that there is no potential for otter to become entangled in construction materials (eg overnight).
Boat of Garten	In theory development in line with the proposals in Boat of Garten could lead to impacts on the qualifying species or their supporting habitats within this site if, during construction or subsequently, physical or chemical contaminants were released into the River Spey. In practice, however, all development proposals will have to comply with policies which protect Natura sites in accordance with the Conservation (Natural Heritage etc) Regulations 1994 (as amended). One of the ways this would be achieved is, for applications that involve ground disturbance near to watercourses, identifying appropriate guidance for developers to follow to avoid releases of sediment or chemicals into watercourses during construction. Hence implementation of these proposals will not detract from meeting the site's conservation objectives.
Carr-bridge	The Main Issues Report proposes no allocations for housing and retention of two existing economic development allocations in Carrbridge. In theory development in line with the proposals in Carr-bridge could lead to impacts on the qualifying species or their supporting habitats within this site if, during construction or subsequently, physical or chemical contaminants were released into the River Spey. Construction could also cause disturbance to otter. Development on sites ED1 and ED2 have the potential to cause such impacts as a result of their proximity to the Spey. In addition, part of ED 2 appears to be within the 1 in 200 year flood risk area identified by SEPA, and any flood mitigation works required in order to develop this site could also lead to impacts on the qualifying species or their supporting habitats.
	In practice, however, all development proposals will have to comply with policies which protect Natura sites in accordance with the Conservation (Natural Heritage etc) Regulations 1994 (as amended). One of the ways this would be achieved is, for applications that involve ground disturbance near to watercourses, identifying appropriate guidance for developers to follow to avoid releases of sediment or chemicals into watercourses

	during construction; and to ensure that there is no potential for otter to become entangled in construction materials (eg overnight). Hence implementation of these proposals will not detract from meeting the site's conservation objectives.
Cromdale	The Main Issues Report proposes a new phased allocation for housing in Cromdale and retention of the existing economic development allocation. In theory development in line with the proposals in Cromdale could lead to impacts on the qualifying species or their supporting habitats within this site if, during construction or subsequently, physical or chemical contaminants were released into the River Spey. Construction could also cause disturbance to otter. Development on site ED1 has the greatest potential to cause such impacts as a result of its adjacency to the Spey, and part of the site appears to be within the 1 in 200 year flood risk area identified by SEPA. Any flood mitigation works required in order to develop this site could also lead to impacts on the qualifying species or their supporting habitats. Development on site ED1 could also cause disturbance to otter.
	In practice, however, all development proposals will have to comply with policies which protects Natura sites in accordance with the Conservation (Natural Heritage etc) Regulations1994 (as amended). One of the ways this would be achieved is, for applications that involve ground disturbance near to watercourses, identifying appropriate guidance for developers to follow to avoid releases of sediment or chemicals into watercourses during construction; and to ensure that there is no potential for otter to become entangled in construction materials (eg overnight). In addition, otter surveys could be required prior to submission of planning applications on site ED1, and the results used to design developments to avoid damaging holts or disturbing these animals. Hence implementation of these proposals will not detract from meeting the site's conservation objectives.
Dalwhinnie	The Main Issues Report proposes retention of two existing housing allocations and one existing economic development allocation. In theory development in line with the proposals in Dalwhinnie could lead to impacts on the qualifying species or their supporting habitats within this site if, during construction or subsequently, physical or chemical contaminants were released into the River Spey. Construction could also cause disturbance to otter.
	In practice, however, all development proposals will have to comply with policies which protect Natura sites in accordance with the Conservation (Natural Heritage etc) Regulations 1994 (as amended). One of the ways this would be achieved is, for applications that involve ground disturbance near to watercourses, identifying appropriate guidance for developers to follow to avoid releases of sediment or chemicals into watercourses during construction; and to ensure that there is no potential for otter to become entangled in construction materials (eg overnight). In addition, otter surveys could be required prior to submission of planning applications on site ED1, and the results used to design developments to avoid damaging holts or disturbing these animals. Hence implementation of these proposals will not detract from meeting the site's conservation objectives.
Dulnain Bridge	The Main Issues Report proposes using the site with existing permission as

Nethy Bridge Conclusion on site integrity	 developers to follow to avoid releases of sediment or chemicals into watercourses during construction. Hence implementation of these proposals will not detract from meeting the site's conservation objectives. The Main Issues Report proposes no allocations for housing or economic development in Nethy Bridge. Provided that Policies to protect Natura sites are included in the Local Development Plan and implemented rigorously the proposals will not detract from meeting the conservation objectives and thus site integrity will not be adversely affected.
Kincraig	The Main Issues Report proposes retaining the existing housing and economic development allocations in Kincraig. In theory development in line with the proposals in Kincraig could lead to impacts on the qualifying species or their supporting habitats within this site if, during construction or subsequently, physical or chemical contaminants were released into the River Spey. In practice, however, all development proposals will have to comply with policies which protect Natura sites in accordance with the Conservation (Natural Heritage etc) Regulations 1994 (as amended). One of the ways this would be achieved is, for applications that involve ground disturbance near to watercourses, identifying appropriate guidance for
	a housing allocation and retention of the existing economic development allocation. In theory development in line with the proposals in Dulnain Bridge could lead to impacts on the qualifying species or their supporting habitats within this site if, during construction or subsequently, physical or chemical contaminants were released into the River Spey. Construction could also cause disturbance to otter. In practice, however, all development proposals will have to comply with policies which protect Natura sites in accordance with the Conservation (Natural Heritage etc) Regulations 1994 (as amended). One of the ways this would be achieved is, for applications that involve ground disturbance near to watercourses, identifying appropriate guidance for developers to follow to avoid releases of sediment or chemicals into watercourses during construction; and to ensure that there is no potential for otter to become entangled in construction materials (eg overnight). Hence implementation of these proposals will not detract from meeting the site's conservation objectives.

Name of European Site	River Tay
Site Type	Special Area of Conservation
Conservation Objectives	To avoid deterioration of the habitats of the qualifying species (listed below) or significant disturbance to the qualifying species, thus ensuring that the integrity of the site is maintained and the site makes an appropriate contribution to achieving favourable conservation status for each of the qualifying features; and
	 To ensure for the qualifying habitats that the following are maintained in the long term: Population of the species, including range of genetic types for salmon, as a viable component of the site Distribution of the species within site Distribution and extent of habitats supporting the species Structure, function and supporting processes of habitats supporting the species No significant disturbance to the species

Qualifying interests	 Distribution and viability of freshwater pearl mussel host species Structure, function and supporting processes of habitats supporting freshwater pearl mussel host species Atlantic salmon (Salmo salar) Brook lamprey (Lampetra planeri) Clear-water lakes or lochs with aquatic vegetation and poor to moderate nutrient levels. Otter (Lutra lutra) River lamprey (Lampetra fluviatilis) Sea lamprey (Petromyzon marinus)
Settlement Assessment	Effect on conservation objectives
Blair Atholl	The Main Issues Report proposes options to include one housing allocation or retain housing allocations in existing local plan, and to retain economic development allocations in the existing local plan. In theory development in line with the proposals in Blair Atholl could lead to impacts on the qualifying species or their supporting habitats within this site if, during construction or subsequently, physical or chemical contaminants were released into the River Tay. In practice, however, all development proposals will have to comply with policies which protect Natura sites in accordance with the Conservation (Natural Heritage etc) Regulations 1994 (as amended). One of the ways this would be achieved is, for applications that involve ground disturbance near to watercourses, identifying appropriate guidance for developers to follow to avoid releases of sediment or chemicals into watercourses during construction. Hence implementation of these proposals will not detract from meeting the site's conservation objectives.
Conclusion on site integrity	Provided that Policies to protect Natura sites are included in the Local Development Plan and implemented rigorously the proposals will not detract from meeting the conservation objectives and thus site integrity will not be adversely affected.

6. Conclusions

This is a preliminary assessment to inform the selection of options in the Main Issues Report. The policy issues addressed in the report are too general at this stage of the plan development process to assess, and these will be assessed at the stage of the Proposed Development Plan. The site allocation options set out in the Main Issues Report have been assessed and, subject to adequate protection policies being included in the Local Development Plan and the mitigation identified in section 5, would not have an adverse effect on the integrity of relevant Natura sites.

This assessment, including the mitigation and policy needs identified will be used to inform preparation of the Proposed Local Development Plan, taking into account any further information received during the public consultation on the Main Issues Report.

Preliminary Assessment completed: 25th July 2011