Cairngorms Nature Action Plan 2013-2018 Action Summary

Woodland

This section of the Action Plan saw the highest proportion of actions attaining status of 'work completed' or 'ongoing – no further input required' – 84% in total. This partly reflects both the strong national policy context, facilitated by the Forestry Grant Scheme, and the successful, collaborative approach to woodland species conservation.

The Action Plan had an ambitious target of 5000 ha of new native woodland over the course of the five years of the plan. By comparison, Scotland as a whole had, over the same period, an annual target of 10,000 ha of new woodland. This national target would translate to 600 ha per year (or 3000 ha for five years) for the National Park, which covers 6% of Scotland's land area. Not only is 5,000 ha proportionally well in excess of this national target, but, unlike the national target, non-native tree species could count towards it.

By the end of the five years, 4,050 ha of new native woodland had been created, and so the target had not been met. Forestry Commission Scotland considers that landowner uncertainty, heightened by referenda on Scottish independence and Brexit, may have affected confidence in making significant decisions on land use change. However by achieving 81% of the target, the Cairngorms were substantially above the national level of attainment for creation of all woodland types which sat at 64% over the five years from 2012 to 2017. Furthermore, if we consider the 200 ha of montane scrub created by Wildland Ltd, which for the purposes of the Cairngorms Nature Action Pan, was accounted for in the Upland, rather than the Woodland section, as well as the 375.5 ha of new woodland with a significant, non-native element created in the Park during 2013-2018, then total woodland creation amounts to 4,675 ha or 93.5% of 5,000 ha. This level of afforestation is roughly twice the national average.

Another distinctive feature of much of the native woodland creation over this time was the method of establishment. Unusually for Scotland, large areas of new woodland have been created in the Cairngorms through unfenced regeneration, stimulated by culling deer. Of the 4,050 ha of native woodland created, 42% was established by natural regeneration. However, for regeneration to count towards the Cairngorms Nature target, its stem density and spatial extent had to be measured. It's known that there are large areas of young tree regeneration, eg at Abernethy and in Glen Feshie, which have not been recently measured and which consequently do not count towards the target. Therefore, it is quite possible that there have been more than 5,000 ha of new native woodland created in the Cairngorms National Park over the past five years.

One step taken to facilitate the strategic expansion of woodland in the Park was the production of a Target Areas map by the Cairngorms National Park Authority. This was first produced in 2015 but then updated in 2017 to prioritise a wider area of the national park by offering a 12.5% increase in the grant available for the native pinewood, native broadleaves, upland birch, low-density broadleaves, and diverse conifer options.

The quality of existing woodland habitat across the Park was enhanced through advice given to estates by project officers of the RSPB-led Capercaillie Project and the Woodland Trust-led PAWS Restoration Project. Targets were met for nine out of the ten woodland species identified in the Action Plan for conservation action. The one species for which the target was considered not to have been satisfactorily met was the pearl-bordered fritillary. Although some work was done by both FCS and Butterfly Conservation Scotland, there were difficulties in engaging with sufficient numbers of land managers to provide habitat management advice.

Work not happening Ongoing - needs more resource Ongoing - no further input required

Work completed

ACTION			Jun-18
Identify strategic	1.1(a)	Conduct spatial targeting exercise	
expansion and	1.1(b)	Create and maintain inventory of high biodiversity value woodlands	
enhancement areas	1.1(c)	Review deer management plans and burning regimes in strategic areas	
Encourage and support	1.2(a)	Promote strategic expansion & enhancement to land managers	
expansion &	1.2(b)	Establish external funding opportunities	
enhancement	1.2(c)	Support land managers in making funding applications	
	1.2(d)	Provide advice and guidance as part of consultations	
	1.2(e)	Support conservation nurseries	
	1.2(f)	Raise awareness and provide advice on disease threats	
	1.2 (g)	Promote natural regeneration, with suitable deer management	
Improving biodiversity	1.3(a)	Increase connectivity of capercaillie habitat & expand into areas of quiet recreation	
value in existing	1.4 (a)	Plant riparian woods in upper river catchments	
woodlands	1.5(a)	Promote aspen conservation and work with landowners to link existing stands	
Improving biodiversity	1.6(a)	Promote UKWAS certification and recommended in-forest management	
value in existing	1.6(b)	Showcase NNRs and the NFE as exemplars of forest management	
woodlands	1.6(c)	Work with and support land agents developing forest plans	
	1.6(d)	Produce Cairngorms National Park specific good forestry practice guidance	
	1.6(e)	Trial cattle grazing in woodlands	
	1.7(a)	Promote the restoration of PAWS	
	1.7(b)	Encourage and provide advice and guidance on continuous forest cover	
	1.7 (c)	Promote stand restructuring and thinning	
	1.8(a)	Identify sites for creating or expanding bog and wet woods	
	1.8(b)	Block drains, re-wet areas and remove non-native conifers	
	1.9(a)	Encourage and advise on aspen enhancement in birchwoods	
	1.9(b)	Review grazing management in high value areas for birch and aspen regeneration	
SPECIES		ACTION	
Capercaillie	1.10(a)	Identify different habitat management effects & implement best practice	
	1.10(b)	Produce visitor management strategy and guidance to minimise disturbance impacts	
	1.10(c)	Improve fox and crow control and investigate the influence of pine martens	
Scottish wildcat	1 11(a)	Implement the Scottish Wildcat Conservation Action Group plan	
Twinflower	1.12(a)	Establish new management trials, meniter evicting trials and disceminate results	
i williowei	1.12(d)	Undertake relling programme of monitoring rites on a 2.5 year retation	
	1.12(0) 1.12(c)	Identify sites and implement translocation trials	
One flowered	1.12(0)	Find out more about status and requirements via surveys, monitoring and recearsh	
wintergreen	1.13(d)	Pind out more about status and requirements via surveys, monitoring and research	
mitergreen	1.13(D)	Provide site-specific habitat management advice to individual land managers	
	1.13(C)	establish habitat management thais and experimental translocations in appropriate	_
Green shield moss	1.14(a)	Find out more about status and requirements via surveys, monitoring and research	
	1.14(D)	Actively manage for deadwood creation in sheltered, humid areas	
Pine hoverfly	1.15(a)	Monitor populations at known and recently created sites	
	1.15(b)	Create artificial breeding habitat at current and suitable adjacent sites	
	1.15(c)	Continue captive breeding programme and augment new populations	
Pearl bordered fritillary	1.16(a)	Find out more about status and requirements via surveys, monitoring and research	
		Provide site-specific habitat management advice to individual land managers	
	1.16(b)		
	1.16(c)	Management at existing sites and create new habitat adjacent to existing populations	
Dark bordered beauty	1.17(a)	Monitor current populations at selected sites annually	
	1.17(b)	Enhance conditions for suckering aspen and create new habitat next to existing	
	1.17(c)	Investigate opportunities for translocations	
Kentish glory	1.18(a)	Find out more about status and requirements via surveys, monitoring and research	
	1.18(b)	Liaise with land managers to encourage management for regenerating birch	
	1.18(c)	Habitat management at current sites and create habitat next to existing sites	
Wood ants group	1.19(a)	Produce a standardised monitoring protocol for wood ants	
	1.19(b)	Find out more about status and requirements via surveys, monitoring and research	
	1.19(c)	Identify key sites and provide habitat management advice to land managers	
	1.19(d)	Provide deadwood and enhance the field layer in adjacent sites	



			-					1050		
0	500	1000	1500	2000 Ha new	2500 native w	3000 oodland	3500	4000	4500	5000
1	1	31		ť	ť5	Ľ		1	1	1

0	100	200	300	400	500	600	200	800	900	1000
---	-----	-----	-----	-----	-----	-----	-----	-----	-----	------

																94	
10	15	20	25	30	35	40	45	50	55	60	65	70	75	80	85	90	9
	10	10 15	10 15 20	10 15 20 25 % Desig	10 15 20 25 30 % Designator	10 15 20 25 30 35 % Decimated way	10 15 20 25 30 35 40	10 15 20 25 30 35 40 45 % Designated woodland feat	10 15 20 25 30 35 40 45 50 % Designated wordfland features	10 15 20 25 30 35 40 45 50 55 % Designated wording features in fa	10 15 20 25 30 35 40 45 50 55 60 % Designated woodland features in favorera	10 15 20 25 30 35 40 45 50 55 60 65 % Designated woodland features in favourable of	10 15 20 25 30 35 40 45 50 55 60 65 70 % December 20 25 30 35 40 45 50 55 60 65 70	10 15 20 25 30 35 40 45 50 55 60 65 70 75 % Designated woodland features in favourable condition	10 15 20 25 30 35 40 45 50 55 60 65 70 75 80 % Decimated woodland features in favoration prodition	10 15 20 25 30 35 40 45 50 55 60 65 70 75 80 85 % Decimated woodland features in favorable condition	10 15 20 25 30 35 40 45 50 55 60 65 70 75 80 85 90 5 Decimated wordland features in favourable condition

1		- 1						1		
									9	
0	1	2	3	4	5	6	7	8	9	10
			For	cussed act	ion for pr	iority spec	ties			

Wetland & Wet Grassland

75% of actions were completed or considered to be ongoing with no further input required. Work to halt the decline of farmland waders in the national park continued. The Strathspey Wetlands and Waders Initiative helped to bring 6,000 ha of farmland into active management each year for waders. The five-yearly Strathspey Breeding Wader Survey indicated that, although numbers of waders were still below those recorded in the baseline year of 2000, there had nevertheless been significant increases since the previous survey in 2010. Lapwing numbers remained stable, while numbers of oystercatcher, redshank, snipe and curlew were all up. In fact snipe numbers were the highest of all previous surveys, including the 2000 baseline survey.

98 km of river and banks were renaturalised. This included many kilometers of riparian woodland planting to stabilise banks, encourage organic matter into the aquatic system, and to create shade to help combat rising water temperatures for sensitive species such as freshwater pearl mussel and Atlantic salmon. Artificial modifications to channels are the main reason why a third of water courses in the national park do not attain good ecological status. This proportion is, however, shrinking with ambitious projects to re-profile banks on the South Esk and remove embankments on the River Dee helping to restore the natural dynamism of our rivers and reconnect them with their floodplains.

The target to contribute to the 'Create a Million Ponds' was not met, as the Strategy Group felt that, relative to competing Cairngorms Nature demands on time and resources, this was not a priority. Of the six wetland & wet grassland priority species, targets were not met for two of them - scarlet splash fungus and the northern damselfly, for which the British Dragonfly Society were unsuccessful with a funding bid aimed at taking species action forward. Work not happening Ongoing - needs more resource Ongoing - no further input required Work completed

AREA OF WORK		ACTION	Jun-18
Enhancing and increasing wet	2.1(a)	Write an action plan for the Strathspey Wetland and Wader initiative (SWWI)	
grassland habitat	2.1(b)	Deliver targeted PR campaign to raise awareness of the value of wet grasslands among	
	2.1(c)	Promote wader/wetland management as part of funding applications	
	2.1(d)	Promote wader and wet grassland friendly practices to members	
	2.1(e)	Develop action plan for wetland & wader initiative in Strathdon and Glenlivet	
	2.1(f)	Identify important wader areas in upper Deeside, Angus glens and Highland Perthshire	
	2.1(g)	Support land managers with funding advice for wetland and wet grassland creation	
	2.1(h)	Deliver a programme of events to demonstrate good practice	
	2.2(a)	Draw up farm plans and create new wader feeding areas	
	2.2(b)	Work with land managers to reinstate water sources	
	2.2(c)	Remove scrub and coarse vegetation with rush topping machinery (& other methods)	
	2.2(d)	Support partnerships such as CMGroups, Futurescapes and SWWI	
Increasing and protecting	2.3(a)	Identify potential new wetland sites or sites now lost that can be restored	
wetland habitats	2.3(b)	Create wetland and SUDS as mitigation or compensation work	
	2.3(c)	Encourage and fund opportunities for improving and restoring wetland areas	
	2.4(a)	Protect wetland sites from development, hydrological and management change	
	2.5(a)	Reinstate/naturalise new sections of previously modified burns	
	2.5(b)	Maintain & reinstate coarse woody debris, where it will improve river diversity	
	2.5(c)	Identify where woodland management can be part of natural flood management	
	2.5(d)	Develop Sustainable Flood Management projects & promote to communities	
	2.5(e)	Develop and trial innovative floodplain restoration projects	
Maintain status and increase	2.6(a)	Improve water bodies to meet the SEPA description of 'good ecological status'	
area of freshwater habitat	2.6(b)	Trial woodland management to reduce runoff, soil erosion, and sediment delivery	
	2.6(c)	Ensure developments & abstractions don't impact on 'good ecological status' and	
	2.7(a)	Extend the 'Create a million ponds' project into the National Park.	
	2.7(b)	Encourage pond creation as part of Farm Visits	
SPECIES	(5)	ACTION	
Lapwing	2.8(a)	Continue to monitor populations and investigate reasons for decline	
· · ·	2.8(b)	Advice & training to land managers & agents on land management for lapwing	
Scarlet splash fungus	29(a)	Find out more about status and requirements via surgery mentaring and research to	
	2.3(0)	Find out more about status and requirements via surveys, monitoring and research to	
	2.9(b)	Provide site-specific habitat management advice to individual land managers	
Northern damselfly	2.9(b) 2.10(a)	Provide site-specific habitat management advice to individual land managers Find out more about status & requirements via surveys, monitoring & research	
Northern damselfly	2.9(b) 2.10(a) 2.10(b)	Privide site-specific habitat management advice to individual land managers Find out more about status & requirements via surveys, monitoring & research Maintain and enhance where necessary sympathetic management at known sites	
Northern damselfly	2.9(b) 2.10(a) 2.10(b) 2.10(c)	This doit more adout status and requirements via surveys, monitoring and research to Provide site-specific habitat management advice to individual land managers Find out more about status & requirements via surveys, monitoring & research Maintain and enhance where necessary sympathetic management at known sites Create new ponds within 1 km of known breading sites	
Northern damselfly Northern silver-stiletto fly	2.9(b) 2.10(a) 2.10(b) 2.10(c) 2.11(a)	Find out more about status and requirements via surveys, immitting and research to Provide site-specific habitat management advice to individual land managers Find out more about status & requirements via surveys, monitoring & research Maintain and enhance where necessary sympathetic management at known sites Create new ponds within 1km of known breeding sites Find out more about status and requirements via surveys, monitoring and research to	
Northern damselfly Northern silver-stiletto fly	2.9(b) 2.10(a) 2.10(b) 2.10(c) 2.11(a) 2.11(b)	This dout more about status and requirements via surveys, monitoring and research to Provide site-specific habitat management advice to individual land managers Find out more about status & requirements via surveys, monitoring & research Maintain and enhance where necessary sympathetic management at known sites Create new ponds within 1 km of known breeding sites Find out more about status and requirements via surveys, monitoring and research to Provide site-specific habitat management advice to individual land managers	
Northern damselfly Northern silver-stiletto fly	2.10(a) 2.10(b) 2.10(c) 2.11(a) 2.11(b) 2.11(c)	This doit more about status and requirements via surveys, monitoring and research to Provide site-specific habitat management advice to individual land managers Find out more about status & requirements via surveys, monitoring & research Maintain and enhance where necessary sympathetic management at known sites Create new ponds within 1 km of known breeding sites Find out more about status and requirements via surveys, monitoring and research to Provide site-specific habitat management advice to individual land managers Take account of this species in resonse to asolications	
Northern damselfly Northern silver-stiletto fly Freshwater pearl mussel	2.10(a) 2.10(b) 2.10(c) 2.11(a) 2.11(b) 2.11(c) 2.12(a)	This doit more about status and requirements via surveys, immitting and research to Provide site-specific habitat management advice to individual land managers find out more about status & requirements via surveys, monitoring & research Maintain and enhance where necessary sympathetic management at known sites Create new ponds within 1km of known breeding sites Find out more about status and requirements via surveys, monitoring and research to Provide site-specific habitat management advice to individual land managers Take account of this species in response to applications Raise awareness of the species' protected status & inmacts of wildlife crime	
Northern damselfly Northern silver-stiletto fly Freshwater pearl mussel	2.9(b) 2.9(b) 2.10(a) 2.10(b) 2.10(c) 2.11(a) 2.11(b) 2.11(c) 2.12(a) 2.12(b)	The dot more adout status and requirements via surveys, monitoring and research to Provide site-specific habitat management advice to individual land managers Find out more about status & requirements via surveys, monitoring & research Maintain and enhance where necessary sympathetic management at known sites Create new ponds within 1km of known breeding sites Find out more about status and requirements via surveys, monitoring and research to Provide site-specific habitat management advice to individual land managers Take account of this species in response to applications Raise awareness of the species' protected status & impacts of wildlife crime Monitor reintroduction sites and augment populations if necessary	
Northern damselfly Northern silver-stiletto fly Freshwater pearl mussel	2.9(b) 2.10(a) 2.10(b) 2.10(c) 2.11(a) 2.11(b) 2.11(c) 2.12(a) 2.12(b) 2.12(c)	This doit more about status and requirements via surveys, monitoring and research Provide site-specific habitat management advice to individual land managers Find out more about status & requirements via surveys, monitoring & research Maintain and enhance where necessary sympathetic management at known sites Create new ponds within 1 km of known breeding sites Find out more about status and requirements via surveys, monitoring and research to Provide site-specific habitat management advice to individual land managers Take account of this species in response to applications Raise awareness of the species' protected status & impacts of wildlife crime Monitor reintroduction sites and augment populations if necessary Through CMP and RBMP processes, reduce erosion and limit sediment inout	
Northern damselfly Northern silver-stiletto fly Freshwater pearl mussel	2.9(b) 2.10(a) 2.10(b) 2.10(c) 2.11(c) 2.11(c) 2.11(c) 2.12(a) 2.12(c) 2.12(c) 2.12(d)	The dot more about status and requirements via surveys, monitoring and research of Provide site-specific habitat management advice to individual land managers Find out more about status & requirements via surveys, monitoring & research Maintain and enhance where necessary sympathetic management at known sites Create new ponds within 1km of known breeding sites Find out more about status and requirements via surveys, monitoring and research to Provide site-specific habitat management advice to individual land managers Take account of this species in resonue to applications. Raise awareness of the species' protected status & impacts of wildlife crime Monitor reintroduction sites and augment populations if necessary Through CMP and RBMP processes, reduce erosion and limit sediment input Research and promote best practice control methods for Ramunculus someries	
Northern damselfly Northern silver-stiletto fly Freshwater pearl mussel	2.9(b) 2.9(b) 2.10(a) 2.10(b) 2.10(c) 2.11(a) 2.11(b) 2.11(c) 2.12(a) 2.12(c) 2.12(c) 2.12(d) 2.12(c) 2.12(e)	The dot more adout status and requirements via surveys, monitoring and research Provide site-specific habitat management advice to individual land managers Find out more about status & requirements via surveys, monitoring & research Maintain and enhance where necessary sympathetic management at known sites Create new ponds within 1km of known breeding sites Find out more about status and requirements via surveys, monitoring and research to Provide site-specific habitat management advice to individual land managers Take account of this species in response to applications Raise awareness of the species' protected status & impacts of wildlife crime Monitor reintroduction sites and augment populations if necessary Through CMP and RBMP processes, reduce erosion and limit sediment input Research and promote best practice control methods for Ranunculus species Survey the River Avon for suitable sites for a reintorduction protect	
Northern damselfly Northern silver-stiletto fly Freshwater pearl mussel	2.9(b) 2.9(b) 2.10(a) 2.10(b) 2.10(c) 2.11(a) 2.11(b) 2.11(c) 2.11(c) 2.12(a) 2.12(c) 2.12(c) 2.12(c) 2.12(c) 2.12(c) 2.12(c)	Third out more about status and requirements via surveys, monitoring and research Provide site-specific habitat management advice to individual land managers Find out more about status & requirements via surveys, monitoring & research Maintain and enhance where necessary sympathetic management at known sites Create new ponds within 1 km of known breeding sites find out more about status and requirements via surveys, monitoring and research to Provide site-specific habitat management advice to individual land managers Take account of this species in response to abolications Raise awareness of the species' protected status & impacts of wildlife crime Monitor reintroduction sites and augment populations if necessary Through CMP and RBMP processes, reduce zerosion and limit sediment input Research and promote best practice control methods for Ranunculus species Survey the River Avon for suitable sites for a reintroduction project Find out more about status and requirements via surveys. monitoring and research to privading CMP about status and requirements with a surveys. monitoring and research to survey the River Avon for suitable sites for a reintroduction project	
Northern damselfly Northern silver-stiletto fly Freshwater pearl mussel Northern February red stonefly	2.9(b) 2.9(b) 2.10(a) 2.10(b) 2.10(c) 2.11(a) 2.11(b) 2.11(c) 2.11(c) 2.12(a) 2.12(c) 2.12(c) 2.12(c) 2.12(c) 2.12(c) 2.12(c) 2.12(d) 2.12(c) 2.12(d) 2.12(c) 2.12(d) 2.12(c) 2.12(d) 2.12(c)	The dot more about status and requirements via surveys, monitoring and research of Provide site-specific habitat management advice to individual land managers Find out more about status & requirements via surveys, monitoring & research Maintain and enhance where necessary sympathetic management at known sites Create new ponds within 1 km of known breeding sites Find out more about status and requirements via surveys, monitoring and research Provide site-specific habitat management advice to individual land managers Take account of this species in response to applications Raise awareness of the species' protected status & impacts of wildlife crime Monitor reintroduction sites and augment populations if necessary Through CMP and RBMP processes, reduce erosion and limit sediment input Research and promote best practice control methods for Ranunculus species Survey the River Avon for suitable sites for a reintroduction project Find out more about status and requirements via surveys, monitoring and research Forovide site-specific habitat management advice to individual land managers Terovide site-specific habitat management advice to individual land managers for extension project Find out more about status and requirements via surveys, monitoring and research torovide site-specific habitat management advice to individual land managers for advice to individual land managers for advice to individual land managers for source file habitat management advice to individual land managers for source site second source file habitat management advice to individual land managers for source file habitat management advice to individual land managers for source file habitat management advice to individual land managers for source file habitat management advice to individual managers for source file habitat management advice to individual managers for source file habitat management advice to individual file file file file file file file fil	



1				(2)A	<u>, 1</u>	17			
	10	20	30 Km rive	40 50 er and riparian re	60 naturalisati	70 on	80	90	100
1		1				1	1		
					.4		-		



Other habitats

68% of actions were completed or considered to be ongoing with no further input required. Peatland restoration was either carried out on or approved for over 1,300 ha across the national park, although progress was slowed by the stop-start nature of project funding. Landscape scale surveys of montane woodland and scrub were carried out across thousands of hectares of hill ground in the core of the National Park providing a very useful baseline of what, and exactly where, the resource is and how it is responding to reduced browsing pressure. This indicated that trees and shrubs of various native species have begun to appear above ground vegetation in many areas, albeit typically at very low densities, in what seems to be the early stages of recolonization by montane woodland habitats. Ongoing monitoring of this will allow decisions to be made as to the required level of any future intervention, such as planting. However, 200 ha of montane woodland planting were initiated at Killiehuntly, which, given the more substantial stem density, represents the sole project contributing towards the 300 ha target. However, over the timescale of the Action Plan interest in, and planning for, further montane woodland expansion has mushroomed.

The recruitment of six new special constables covering the Park with a wildlife crime brief, as well as the introduction of the Civtech challenge by the CNPA to develop satellite tagging technology which downloads data in real time, were seen as innovative approaches to tackling wildlife crime affecting raptor populations. Targets were not, however, met with regard to upland grassland sites.

Of the seven species associated with the habitats in this section, there were two, small dark yellow underwing and violet oil beetle, with insufficient progress towards targets. For the former, there were difficulties in detecting it during surveys and therefore also in engaging with land managers about habitat management, while for the latter, although Buglife had initiated a recording project for the species, work was largely undertaken outside the National Park.



ACTION			Jun-18
Restore and enhance blanket bog	3.1(a)	Promote peatland restoration, identify and restore sites	
habitats	3.1(b)	Promote the Muirburn code and importance of avoiding drainage	
	3.1(c)	Showcase good practise moorland management	
	3.1(d)	Source climte change/ carbon funding to support restoration	
Restore and enhance montane	3.2(a)	Establish a landscape-scale montane scrub project	
scrub	3.2(b)	Promote and support the creation and restoration of montane scrub in suitable areas	
Restore the full community of	3.3(a)	Trial innovative techniques to increase populations	
raptors	3.3(b)	Raise awareness and understanding, provide advice & training on legislation	
	3.3(c)	Monitor wildlife crime in the CNP	
	3.3(d)	Support collaboration to reduce conflicts in species and wildlife management	
Identify key moorland, montane	3.4(a)	Audit and map Arctostaphylos heath	
and grassland sites for biodiversity	3.4(b)	Audit and assess the condition of Calaminarian grasslands	
	3.4(c)	Research the importance of uplands to wader species, particularly curlew	
	3.4(d)	Research on rare upland invertebrates, with focus on Diptera, Lepidoptera and beetle	
	3.4(e)	Audit, assess and map key grassland sites	
Positive managmnt for key upland	3.5(a)	Provide guidance on favourable grazing & burning for important upland & grassland sites	
& grassland sites	3.5(b)	Feasibility study for roving livestock to encourage retention of open areas	
SPECIES		ACTION	_
Golden eagle	3.6(a)	Continue and expand raptortrack	
	3.6(b)	Work with moorland managers to manage mountain hare populations to benefit g.eagle	
	3.6(c)	Leave deer carcassess or remains out on the hill	
Alpine blue sow thistle	3.7(a)	Find out more about status and requirements via surveys, monitoring and research	
	3.7(b)	Provide site-specific habitat management advice to individual land managers	
	3.7(c)	Reinforce current populations and (re)introduce at new sites	
Tufted saxifrage	3.8(a)	Find out more about status and requirements via surveys, monitoring and research	
	3.8(b)	Provide site-specific habitat management advice to individual land managers	
	3.8(c)	(If appropriate) reinforce existing and create new populations at historic sites	
Powdered sunshine lichen	3.9(a)	Identify and monitor key areas & identify opportunities for translocation	
	3.9(b)	Enhance and expand areas of juniper scrub	
Small dark yellow underwing	3.9(c)	Provide site-specific habitat management advice to individual land managers	
,	3.9(c) 3.10(a)	Provide site-specific habitat management advice to individual land managers Find out more about status and requirements via surveys, monitoring and research	
, , ,	3.9(c) 3.10(a) 3.10(b)	Provide site-specific habitat management advice to individual land managers Find out more about status and requirements via surveys, monitoring and research Establish demonstration projects and share best practice	
Mining bee	3.9(c) 3.10(a) 3.10(b) 3.11(a)	Provide site-specific habitat management advice to individual land managers Find out more about status and requirements via surveys, monitoring and research Establish demonstration projects and share best practice Find out more about status and requirements via surveys, monitoring and research	
Mining bee	3.9(c) 3.10(a) 3.10(b) 3.11(a) 3.11(b)	Provide site-specific habitat management advice to individual land managers Find out more about status and requirements via surveys, monitoring and research Establish demonstration projects and share best practice Find out more about status and requirements via surveys, monitoring and research Provide site-specific habitat management advice to individual land managers	
Mining bee Violet oil beetle	3.9(c) 3.10(a) 3.10(b) 3.11(a) 3.11(b) 3.12(a)	Provide site-specific habitat management advice to individual land managers Find out more about status and requirements via surveys, monitoring and research Establish demonstration projects and share best practice Find out more about status and requirements via surveys, monitoring and research Provide site-specific habitat management advice to individual land managers Find out more about status and requirements via surveys, monitoring and research	
Mining bee Violet oil beetle	3.9(c) 3.10(a) 3.10(b) 3.11(a) 3.11(b) 3.12(a) 3.12(b)	Provide site-specific habitat management advice to individual land managers Find out more about status and requirements via surveys, monitoring and research Establish demonstration projects and share best practice Find out more about status and requirements via surveys, monitoring and research Provide site-specific habitat management advice to individual land managers Find out more about status and requirements via surveys, monitoring and research Develop 1.0. Skills and identify potential habitat through work with volunteers	



1				1	212	1	1
12		- 32	- 22	1332	-	-	
250	500	750 Ha pea	1000	1250	1500	1750	2000
					5		
1	2	3		4	5	6	7
	F	ocussed act	tion for pric	ority specie:	3		
 1							
50	1	00	150	200)	250	300
		Ha monta	ne scrub de	eveloping			

1	1	1	1		1	1	
							70
							70
+							
0	10	20	30	40	50	60	70
		% upland des	ignated featu	res in favoura	ble condition		

Involving People

66% of actions were completed or considered to be ongoing with no further input required. The Cairngorms Nature Farm Award has been running annually now for three years, with the 2016 winner, Ruthven Farm in Glenlivet, going on to win a national award for its nature-sensitive farming.

The target of 3,000 volunteering days was met comfortably, thanks to the input of ranger services around the Park. Furthermore, a system of volunteer rangers was established in 2017, which has since recruited 14 people who have contributed over 1,000 hours of their spare time. Annual initiatives such as the Cairngorms Nature BIG Weekend and the Cairngorms Nature Young Presenter have successfully engaged with large audiences from across the National Park, the UK and beyond. Furthermore the social media reach of Cairngorms Nature has continued to grow steadily, with strong levels of engagement which compare well with other wildlife-themed social media accounts.

Delivery of the actions for community engagement and empowerment across the National Park have not been progressed as widely as anticipated but there have been some key successes in certain locations such as the high levels of community involvement in decision making in the Tomintoul & Glenlivet Landscape Partnership Project, as well as community hydro schemes near Kingussie and Braemar.



ACTION			Jun-18
Create, support and celebrate a network of			
ambassadors	4.1(a)	Develop and implement a stakeholder enggement plan	
	4.1(b)	Produce and manage a communications toolkit	
	4.1(c)	Develop & roll-out 'Make It Yours' programme of training & support for businesses	
	4.1(d)	Host annual awards ceremony championing positive work	
	4.1(e)	Deliver biennial Cairngorms Nature partnerhsip event	
Communicate the significance of, the benefits derived	4.2(a)	Develop and maintain Cairngorms Nature website & social media	
from and the work being done to protect and enhance	4.2(b)	Improve public understanding & perception of estates' managenment for biodiversity	
nature in CNP	4.2(c)	Joint brand and position activities and projects relevant to Cairngorms Nature	
Further develop work with young people	4.3(a)	Work with schools to actively involve young people in experiencing & conserving CNP	
	4.3(b)	Include Cairngorms Nature information in programmes of activity	
	4.3(c)	Promote and support skills development within volnteering opportunities	
Support and strengthen role of visitor attractions &	4.4(a)	Provide training, knowledge and support on biodiversity in CNP	
wildlife tourism	4.4(b)	Produce code of conduct for wildlife watching	
	4.4(c)	Promote NNRs as flagships for finding out about Cairngorms Nature	
Help communities find ways to engage with, realise the	4.5(a)	Work with communities to assess the significance and benefits of local natural heritage	
benefits they get from, and have a say in the	4.5(b)	Facilitate development of management plans for local wildlife sites	
management of local natural heritage assets	4.5(c)	Facilitate awareness raising, communication and consultation with land managers	
	4.5(d)	Work with communities improving biodiversity within settlements & new developments	
Provide a wide range of opportunities for people to	4.6(a)	Create volunteering hubs and co-ordinate promotion and access to opportunities	
contribute to the protection and enhancement of	4.6(b)	Highlight & encourage volunteer particiption in biological recording	
biodiversity in the Park	4.6(c)	Support local and regional naturalist groups	
	4.6(d)	Investigate options for visitor payback scheme with conservation options	
	4.6(e)	Create and support exisitng large-scale projects accommodating volunteers & donations	



							1	3000
D	500 Number of vo	1 Junteer o	000 lavs per vea	1500 ar spent carin	2000	250 the Nation	0 al Park	3000
	Number of Vo	numeer c	raàz bei àes	ar spenc cann	8 for nature in	ule Mation	arrain	
	1	1	Т				1	
	Î.			17	5		L. Har	

Number of communities directly involved with managing local natural heritage