

2023 Malison Beaver Conference Presentation Literature Cited

Slide 9

(Naiman et al. 1988, Pollock et al. 1995, Collen and Gibson 2001, Rosell et al. 2005)

Slide 11

(Woo and Waddington 1990, Gurnell 1998, Hood and Bayley 2008, Nyssen et al. 2011, Malison et al. 2014, Giriat et al. 2016, Puttock et al. 2017, Westbrook et al. 2020, Puttock et al. 2021)

Slide 12

(Grudzinski et al. 2022)

Slide 14

(Rosell et al. 2005, Dalbeck et al. 2014, Anderson et al. 2015, Hood and Larson 2015, Law et al. 2016, 2017, 2019, Stringer and Gaywood 2016, Willby et al. 2018, Wathen et al. 2019, Nummi et al. 2019, Thompson et al. 2021)

Slide 17

(Collen and Gibson 2001, Kemp et al. 2012, Brazier et al. 2020)

Slide 18

(Grasse 1979, Bryant 1983, Leidholt-Bruner et al. 1992, Hägglund and Sjöberg 1999, Smith and Mather 2013, Malison et al. 2014, Dittbrenner et al. 2022)

Slide 19

(Bustard and Narver 1975, Swales and Levings 1989, Nickelson et al. 1992b, Pollock et al. 2004, Sigourney et al. 2006, Malison et al. 2015, Bouwes et al. 2016, Needham et al. 2021)

Slide 20

(Snodgrass and Meffe 1998)

Slide 21

(Bustard and Narver 1975, Chisholm et al. 1987, Nickelson et al. 1992b, 1992a, Cunjak 1996, Jakober et al. 1998, Miller and Sadro 2003, Lindstrom and Hubert 2004)

Slide 23

(France 1997, Malison et al. 2014, Needham et al. 2021)

Slide 24

(Burchsted et al. 2010)

Slide 25

(Kemp et al. 2012)

Slide 26

(Schlosser and Kallemeyn 2000, Parker and Rønning 2007, Taylor et al. 2010, Lokteff et al. 2013, Bylak et al. 2014, Virbickas et al. 2015, Bouwes et al. 2016, Puttock et al. 2017, Cutting et al. 2018, Bylak and Kukuła 2018, Malison and Halley 2020)

Slide 27

(Mitchell and Cunjak 2007, Malison et al. 2015, Wathen et al. 2019)

Slide 28

(Pollock et al. 2022)

Slide 30

(Knudsen and J. 1962, Fox and Keast 1990, Swanston 1991, Snodgrass and Meffe 1998, Halley and Lamberg 2001, Burchsted et al. 2010, Taylor et al. 2010, Bylak and Kukuła 2018)

Slides 31 – 40

(Malison and Halley 2020)

Slides 42-57

(Malison et al. 2014, 2015, Malison and Stanford 2016)

Slide 62

(Nyssen et al. 2011)

Slide 64

(Giriat et al. 2016)

Slide 73

(Stanford et al. 2005, Whited et al. 2007)

Slide 75

(Anderson 2008)

Slide 76

(Baxter et al. 2005)

Literature Cited

Anderson, M. L. 2008. Lateral habitat ecology of an alluvial river flood plain. University of Montana.

Link: <https://scholarworks.umt.edu/etd/987/>

Anderson, N. L., C. A. Paszkowski, and G. A. Hood. 2015. Linking aquatic and terrestrial environments: Can beaver canals serve as movement corridors for pond-breeding amphibians? *Animal Conservation* 18:287–294.

Link: <https://zslpublications.onlinelibrary.wiley.com/doi/abs/10.1111/acv.12170>

Baxter, C. V, K. D. Fausch, and W. C. Saunders. 2005. Tangled webs: reciprocal flows of invertebrate prey link streams and riparian zones. *Freshwater Biology* 50:201–220.

Link: https://www.researchgate.net/profile/W-Saunders/publication/227642618_Tangled_Webs_Reciprocal_Flows_of_Invertebrate_Prey_Link_Streams_and_Riparian_Zones/links/5a4bd4120f7e9b8284c2e505/Tangled-Webs-Reciprocal-Flows-of-Invertebrate-Prey-Link-Streams-and-Riparian-Zones.pdf

Bouwes, N., N. Weber, C. E. Jordan, W. C. Saunders, I. A. Tattam, C. Volk, J. M. Wheaton, and M. M. Pollock. 2016. Ecosystem experiment reveals benefits of natural and simulated beaver dams to a threatened population of steelhead (*Oncorhynchus mykiss*). *Scientific Reports* 6:28581.

Link: <https://www.nature.com/articles/srep28581>

Brazier, R. E., A. Puttock, H. A. Graham, R. E. Auster, K. H. Davies, and C. M. L. Brown. 2020. Beaver: Nature's ecosystem engineers. *Wiley Interdisciplinary Reviews: Water* 8:1–29.

Link: <https://wires.onlinelibrary.wiley.com/doi/full/10.1002/wat2.1494>

Bryant, M. D. 1983. The role of beaver dams as coho salmon habitat in southeast Alaska streams. Pages 183-192 in J. M. Walton, and D.B. Houston, editors. *Proceedings of the Olympic Wild Fish Conference*. Fisheries Technology Program, Peninsula College, Port Angeles, Washington.

Link: unavailable

Burchsted, D., M. Daniels, R. Thorson, and J. Vokoun. 2010. The river dicontinuum: Applying beaver modifications to baseline conditions for restoration of forested headwaters. *BioScience* 60:908–922.

Link: <https://academic.oup.com/bioscience/article/60/11/908/329195>

Bustard, D. R., and D. W. Narver. 1975. Aspects of the winter ecology of juvenile coho salmon (*Oncorhynchus kisutch*) and steelhead trout (*Salmo gairdneri*). *Journal of the fisheries research board of Canada* 32:667–680.

Link: <https://cdnsiencepub.com/doi/pdf/10.1139/f75-086>

Bylak, A., and K. Kukuła. 2018. Living with an engineer: fish metacommunities in dynamic patchy environments. *Marine and Freshwater Research* 69:883–893.

Link:

https://www.researchgate.net/publication/323186850_Living_with_an_engineer_Fish_metacommunities_in_dynamic_patchy_environments

Bylak, A., K. Kukuła, and J. Mitka. 2014. Beaver impact on stream fish life histories: the role of landscape and local attributes. *Canadian Journal of Fisheries and Aquatic Sciences* 71:1603–1615.

Link: <https://cdnsiencepub.com/doi/pdf/10.1139/cjfas-2014-0105>

Chisholm, I. M., W. A. Hubert, and T. A. Wesche. 1987. Winter Stream Conditions and Use of Habitat by Brook Trout in High-Elevation Wyoming Streams. *Transactions of the American Fisheries Society* 116:176–184.

Link: unavailable

Collen, P., and R. J. Gibson. 2001. The general ecology of beavers (*Castor* spp.), as related to their influence on stream ecosystems and riparian habitats, and the subsequent effects on fish - a review. *Reviews in Fish Biology and Fisheries* 10:439–461.

Link:

https://www.researchgate.net/publication/227028536_The_general_ecology_of_beavers_Castor_spp_as_related_to_their_influence_on_stream_ecosystems_and_riparian_habitats_and_the_subsequent_effects_on_fish_-_A_review

Cunjak, R. A. 1996. Winter habitat of selected stream fishes and potential impacts from land-use activity. *Canadian Journal of Fisheries and Aquatic Sciences* 53:267–282.

Link: <https://cdnsiencepub.com/doi/pdf/10.1139/f95-275>

Cutting, K. A., J. M. Ferguson, M. L. Anderson, K. Cook, S. C. Davis, and R. Levine. 2018. Linking beaver dam affected flow dynamics to upstream passage of Arctic grayling. *Ecology and Evolution*:1–13.

Link: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6308880/pdf/ECE3-8-12905.pdf>

Dalbeck, L., J. Janssen, and S. Luise Völsge. 2014. Beavers (*Castor fiber*) increase habitat availability, heterogeneity and connectivity for common frogs (*Rana temporaria*). *Amphibia Reptilia* 35:321–329.

Link:

https://www.researchgate.net/publication/266076143_Beavers_Castor_fiber_increase_habitat_availability_heterogeneity_and_connectivity_for_common_frogs_Rana_temporaria

Dittbrenner, B. J., J. W. Schilling, C. E. Torgersen, and J. J. Lawler. 2022. Relocated beaver can increase water storage and decrease stream temperature in headwater streams. *Ecosphere* 13:1–17.

Link: <https://esajournals.onlinelibrary.wiley.com/doi/epdf/10.1002/ecs2.4168>

Fox, M. G., and A. Keast. 1990. Effects of winterkill on population structure, body size, and prey consumption patterns of pumpkinseed in isolated beaver ponds. *Canadian Journal of Zoology* 68:2489–2498.

Link: <https://cdnsiencepub.com/doi/pdf/10.1139/z90-348>

France, R. L. 1997. The importance of beaver lodges in structuring littoral communities in boreal headwater lakes. *Canadian Journal of Zoology* 75:1009–1013.

Link: <https://cdnsiencepub.com/doi/pdf/10.1139/z97-121>

Giriati, D., E. Gorczyca, and M. Sobucki. 2016. Beaver ponds' impact on fluvial processes (Beskid Niski Mts., SE Poland). *Science of the Total Environment* 544:339–353.

Link: <https://www.sciencedirect.com/science/article/pii/S0048969715310846?via%3Dihub>

Grasse, J. E. 1979. Some trout-raising alternatives...irrigation ditches and beaver ponds. *Salmon* 3:12–15.

Link: unavailable

Grudzinski, B. P., K. Fritz, H. E. Golden, T. A. Newcomer-Johnson, J. A. Rech, J. Levy, J. Fain, J. L. McCarty, B. Johnson, T. K. Vang, and K. Maurer. 2022. A global review of beaver dam impacts: Stream conservation implications across biomes. *Global Ecology and Conservation* 37:e02163.

Link: <https://www.sciencedirect.com/science/article/pii/S2351989422001652?via%3Dihub>

Gurnell, A. M. 1998. The hydrogeomorphological effects of beaver dam-building activity. *Progress in Physical Geography* 22:167–189.

Link: <https://journals.sagepub.com/doi/10.1177/030913339802200202>

Hägglund, Å., and G. Sjöberg. 1999. Effects of beaver dams on the fish fauna of forest streams. *Forest Ecology and Management* 115:259–266.

Link: unavailable

Halley, D. J., and A. Lamberg. 2001. Populations of juvenile salmon and trout in relation to beaver damming of a spawning stream. Pages 122–127 in A. Czech and G. Schwab, editors. Pages 122-127 in: *The European beaver in a new millennium*, Czech A, Schwab G (eds). Proceedings of the Second European Beaver Symposium. Carpathian Heritage Society, Krakow, Poland.

Link: unavailable

Hood, G. A., and S. E. Bayley. 2008. Beaver (*Castor canadensis*) mitigate the effects of climate on the area of open water in boreal wetlands in western Canada. *Biological Conservation* 141:556–567.

Link: https://www.pacificwolves.org/wp-content/uploads/2019/06/Hood-and-Bayley_2008.pdf

Hood, G. A., and D. G. Larson. 2015. Ecological engineering and aquatic connectivity: A new perspective from beaver-modified wetlands. *Freshwater Biology* 60:198–208.

Link: <https://onlinelibrary.wiley.com/doi/epdf/10.1111/fwb.12487>

Jakober, M. J., T. E. McMahon, R. F. Thurow, and C. G. Clancy. 1998. Role of Stream Ice on Fall and Winter Movements and Habitat Use by Bull Trout and Cutthroat Trout in Montana Headwater Streams. *Transactions of the American Fisheries Society* 127:223–235.

Link: https://www.fs.usda.gov/rm/pubs_journals/1998/rmrs_1998_jakober_m001.pdf

Kemp, P. S., T. A. Worthington, T. E. L. Langford, A. R. J. Tree, and M. J. Gaywood. 2012. Qualitative and quantitative effects of reintroduced beavers on stream fish. *Fish and Fisheries* 13:158–181.

Link: <https://onlinelibrary.wiley.com/doi/epdf/10.1111/j.1467-2979.2011.00421.x>

Knudsen, and G. J. 1962. Relationship of beaver to forests, trout and wildlife in Wisconsin. Wisconsin Department of Natural Resources Technical Bulletin 25:1–50.

Link: <https://search.library.wisc.edu/digital/A2WTJMRPGC7WSO8D>

Law, A., M. J. Gaywood, K. C. Jones, P. Ramsay, and N. J. Willby. 2017. Using ecosystem engineers as tools in habitat restoration and rewilding: beaver and wetlands. *Science of the Total Environment* 605–606:1021–1030.

Link: <https://www.sciencedirect.com/science/article/pii/S0048969717315929>

Law, A., O. Levanoni, G. Foster, F. Ecke, and N. J. Willby. 2019. Are beavers a solution to the freshwater biodiversity crisis? *Diversity and Distributions* 25:1763–1772.

Link:

https://www.researchgate.net/publication/335354428_Are_beavers_a_solution_to_the_freshwater_biodiversity_crisis/link/606ebc034585150fe99062dc/download

Law, A., O. Mclea, N. And, and N. J. W. Illby. 2016. Habitat engineering by beaver benefits aquatic biodiversity and ecosystem processes in agricultural streams. *Freshwater Biology* 61:486–499.

Link:

https://www.researchgate.net/publication/294278611_Habitat_engineering_by_beaver_benefits_aquatic_biodiversity_and_ecosystem_processes_in_agricultural_streams

Leidholt-Bruner, K., D. E. Hibbs, W. C. McComb, K. Leidholt Bruner, D. E. Hibbs, and W. C. McComb. 1992. Beaver dam locations and their effects on distribution and abundance of coho salmon fry in

two coastal Oregon streams. *Northwest Science* 66:218–223.

Link:

https://www.researchgate.net/publication/267970331_Beaver_Dam_Locations_and_Their_Effects_on_Distribution_and_Abundance_of_Coho_Salmon_Fry_in_Two_Coastal_Oregon_Streams

Lindstrom, J. W., and W. A. Hubert. 2004. Ice Processes Affect Habitat Use and Movements of Adult Cutthroat Trout and Brook Trout in a Wyoming Foothills Stream. *North American Journal of Fisheries Management* 24:1341–1352.

Link: <https://afspubs.onlinelibrary.wiley.com/doi/epdf/10.1577/M03-223.1>

Lokteff, R. L., B. B. Roper, and J. M. Wheaton. 2013. Do Beaver Dams Impede the Movement of Trout? *Transactions of the American Fisheries Society* 142:1114–1125.

Link: <https://afspubs.onlinelibrary.wiley.com/doi/epdf/10.1080/00028487.2013.797497>

Malison, R. L., L. A. Eby, and J. Stanford. 2015. Juvenile salmon growth, survival, and production in a large river floodplain modified by beavers (*Castor canadensis*). *Canadian Journal of Fisheries and Aquatic Sciences* 72:1639–1651.

Link: <https://cdnsiencepub.com/doi/pdf/10.1139/cjfas-2015-0147>

Malison, R. L., and D. J. Halley. 2020. Ecology and movement of juvenile salmonids in beaver-influenced and beaver-free tributaries in the Trøndelag province of Norway. *Ecology of Freshwater Fish* 29:623–639.

Link: https://beavertrust.org/wp-content/uploads/2020/08/Malison_et_al-Ecology_of_Freshwater_Fish_2020-.pdf

Malison, R. L., M. S. Lorang, D. Whited, and J. A. Stanford. 2014. Beavers (*Castor canadensis*) influence habitat for juvenile salmon in a large Alaskan river floodplain. *Freshwater Biology* 59:1229–1246.

Link: <https://www.ecotoneinc.com/wp-content/uploads/2020/12/beaver-influence-on-juvenile-salmon-in-ak-malison-et.-al-2014.pdf>

Malison, R. L., and J. A. Stanford. 2016. Do beaver dams reduce connectivity and salmon productivity in expansive river floodplains? *PeerJ* 4:e2403.

Link: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5012414/pdf/peerj-04-2403.pdf>

Miller, B. A., and S. Sadro. 2003. Residence Time and Seasonal Movements of Juvenile Coho Salmon in the Ecotone and Lower Estuary of Winchester Creek, South Slough, Oregon. *Transactions of the American Fisheries Society* 132:546–559.

Link:

https://www.researchgate.net/publication/237629113_Residence_Time_and_Seasonal_Movements_of_Juvenile_Coho_Salmon_in_the_Ecotone_and_Lower_Estuary_of_Winchester_Creek_South_Slough_Oregon

Mitchell, S. C., and R. A. Cunjak. 2007. Stream flow, salmon and beaver dams: roles in the structuring of stream fish communities within an anadromous salmon dominated stream. *Journal of Animal Ecology* 76:1062–1074.

Link: <https://besjournals.onlinelibrary.wiley.com/doi/epdf/10.1111/j.1365-2656.2007.01286.x>

Naiman, R. J., C. A. Johnston, and J. C. Kelley. 1988. Alteration of North American streams by beaver. *BioScience* 38:753–762.

Link:

https://www.researchgate.net/publication/245267087_Alteration_of_North_American_Streams_by_Beaver

Needham, R. J., M. Gaywood, A. Tree, N. Sotherton, D. Roberts, C. W. Bean, and P. S. Kemp. 2021. The response of a brown trout (*Salmo trutta*) population to reintroduced eurasian beaver (*Castor fiber*) habitat modification. *Canadian Journal of Fisheries and Aquatic Sciences* 78:1650–1660.

Link: https://beavertrust.org/wp-content/uploads/2021/10/Needham_et_al-2021-Canadian-Journal-of-Fisheries-and-Aquatic-Sciences.pdf

Nickelson, T. E., J. W. Nicholas, A. M. McGie, R. B. Lindsay, D. L. Bottorn, R. J. Kaiser, and S. E. Jacobs. 1992a. Status of anadromous salmonids in Oregon coastal basins. Corvallis (OR): Oregon Department of Fish and Wildlife.

Link: unavailable

Nickelson, T. E., J. D. Rodgers, S. L. Johnson, and M. F. Solazzi. 1992b. Seasonal changes in habitat use by juvenile coho salmon (*Oncorhynchus kisutch*) in Oregon coastal streams. *Canadian Journal of Fisheries and Aquatic Sciences* 49:783–789.

Link: <https://cdnsiencepub.com/doi/pdf/10.1139/f92-088>

Nummi, P., E. M. Suontakanen, S. Holopainen, and V. M. Väänänen. 2019. The effect of beaver facilitation on Common Teal: pairs and broods respond differently at the patch and landscape scales. *Ibis* 161:301–309.

Link:

https://helda.helsinki.fi/bitstream/handle/10138/302629/IBIS_2017_OP_096_FINAL_EDIT_EIC.pdf?sequence=1

Nyssen, J., J. Pontzele, and P. Billi. 2011. Effect of beaver dams on the hydrology of small mountain streams: Example from the Chevral in the Ourthe Orientale basin, Ardennes, Belgium. *Journal Of Hydrology* 402:92–102.

Link:

https://www.researchgate.net/publication/229365270_Effect_of_bever_dams_on_the_hydrology_of_small_mountain_streams_Example_from_the_Chevral_in_the_Ourthe_Orientale_basin_Ardennes_Belgium

Parker, H., and O. C. Rønning. 2007. Low potential for restraint of anadromous salmonid reproduction by beaver *Castor fiber* in the Numedalslagen River catchment, Norway. *River Research and Applications* 23:752–762.

Link:

https://www.researchgate.net/publication/227837305_Low_potential_for_restraint_of_anadromous_salmonid_reproduction_by_bever_Castor_fiber_in_the_Numedalslagen_River_Catchment_Norway

Pollock, M. M., R. J. Naiman, H. E. Erickson, C. A. Johnston, J. Pastor, and G. Pinay. 1995. Beaver as

Engineers: Influences on Biotic and Abiotic Characteristics of Drainage Basins. Page 10 in C. G. Jones and J. H. Lawton, editors. *Linking Species & Ecosystems*. Springer, Boston, MA.

Link:

[https://www.researchgate.net/publication/260337004 Beaver as Engineers Influences on Biotic and Abiotic Characteristics of Drainage Basins](https://www.researchgate.net/publication/260337004_Beaver_as_Engineers_Influences_on_Biotic_and_Abiotic_Characteristics_of_Drainage_Basins)

Pollock, M. M., G. R. Pess, T. J. Beechie, and D. R. Montgomery. 2004. The importance of beaver ponds to coho salmon production in the Stillaguamish River Basin, Washington, USA. *North American Journal of Fisheries Management* 24:749–760.

Link:

https://people.wou.edu/~taylors/g473/AEG2016/2_Pollock_etal_2011_Beaver_Ponds_Coho_WA.pdf

Pollock, M. M., S. Witmore, and E. Yokel. 2022. Field experiments to assess passage of juvenile salmonids across beaver dams during low flow conditions in a tributary to the Klamath River, California, USA. *PLoS ONE* 17:e0268088.

Link: <https://journals.plos.org/plosone/article?id=10.1371/journal.pone.0268088>

Puttock, A., H. A. Graham, J. Ashe, D. J. Luscombe, and R. E. Brazier. 2021. Beaver dams attenuate flow: A multi-site study. *Hydrological Processes* 35:e14017.

Link: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC7898794/pdf/HYP-35-na.pdf>

Puttock, A., H. A. Graham, A. M. Cunliffe, M. Elliott, and R. E. Brazier. 2017. Eurasian beaver activity increases water storage, attenuates flow and mitigates diffuse pollution from intensively-managed grasslands. *Science of the Total Environment* 576:430–443.

Link: <https://www.sciencedirect.com/science/article/pii/S0048969716323099>

Rosell, F., O. Bozser, P. Collen, and H. Parker. 2005. Ecological impact of beavers *Castor fiber* and *Castor canadensis* and their ability to modify ecosystems. *Mammal Review* 35:248–276.

Link:

[https://www.researchgate.net/publication/37687178 Ecological impact of beavers Castor fiber and Castor canadensis and their ability to modify ecosystems](https://www.researchgate.net/publication/37687178_Ecological_impact_of_beavers_Castor_fiber_and_Castor_canadensis_and_their_ability_to_modify_ecosystems)

Schlosser, I. J., and L. W. Kallemeyn. 2000. Spatial variation in fish assemblages across a beaver-influenced successional landscape. *Ecology* 81:1371–1382.

Link: <https://andrewsforest.oregonstate.edu/sites/default/files/lter/pubs/pdf/pub3184.pdf>

Sigourney, D. B., B. H. Letcher, and R. A. Cunjak. 2006. Influence of beaver activity on summer growth and condition of age-2 Atlantic salmon parr. *Transactions of the American Fisheries Society* 135:1068–1075.

Link:

[https://www.researchgate.net/publication/250019936 Influence of Beaver Activity on Summer Growth and Condition of Age2 Atlantic Salmon Parr](https://www.researchgate.net/publication/250019936_Influence_of_Beaver_Activity_on_Summer_Growth_and_Condition_of_Age2_Atlantic_Salmon_Parr)

Smith, J. M., and M. E. Mather. 2013. Beaver dams maintain fish biodiversity by increasing habitat heterogeneity throughout a low-gradient stream network. *Freshwater Biology* 58:1523–1538.

Link:

<https://www.researchgate.net/publication/258121778> Beaver dams maintain native fish biodiversity by increasing habitat heterogeneity throughout a low-gradient stream network

Snodgrass, J. W., and G. K. Meffe. 1998. Influence of beavers on stream fish assemblages: Effects of pond age and watershed position. *Ecology* 79:928–942.

Link:

<https://www.researchgate.net/publication/246467520> Influence of Beavers on Stream Fish Assemblages Effects of Pond Age and Watershed Position

Stanford, J. A., M. S. Lorang, and F. R. Hauer. 2005. The shifting habitat mosaic of river ecosystems. *Verh. Internat. Verein. Limnol* 29:123–136.

Link:

<https://www.researchgate.net/publication/284542172> The shifting habitat mosaic of river ecosystems

Stringer, A. P., and M. J. Gaywood. 2016. The impacts of beavers *Castor* spp. on biodiversity and the ecological basis for their reintroduction to Scotland, UK. *Mammal Review* 46:270–283.

Link: <https://onlinelibrary.wiley.com/doi/epdf/10.1111/mam.12068>

Swales, S., and C. D. Levings. 1989. Role of off-channel ponds in the life cycles of coho salmon (*Oncorhynchus kisutch*) and other juvenile salmonids in the Coldwater River, British Columbia. *Canadian Journal of Fisheries and Aquatic Sciences* 46:232–242.

Link: <https://cdnsiencepub.com/doi/pdf/10.1139/f89-032>

Swanston, D. N. 1991. Natural Processes. Pages 139–179 in W. R. Meehan, editor. *Influences of Forest and Rangeland Management on Salmonid Fishes and Their Habitats*. American Fisheries Society Special Publication 19, Bethesda, Maryland.

Link: unavailable

Taylor, B. R., C. Macinnis, and T. A. Floyd. 2010. Influence Of Rainfall And Beaver Dams On Upstream Movement Of Spawning Atlantic Salmon In A Restored Brook In Nova Scotia, Canada. *River Research and Applications* 26:183–193.

Link:

<https://www.researchgate.net/publication/230002279> Influence of rainfall and beaver dams on upstream movement of spawning Atlantic salmon in a restored brook in Nova Scotia Canada

Thompson, S., M. Vehkaoja, J. Pellikka, and P. Nummi. 2021. Ecosystem services provided by beavers *Castor* spp. *Mammal Review* 51:25–39.

Link: https://beavertrust.org/wp-content/uploads/2020/10/Thompson_et_al-2020_Mammal_Review.pdf

Virbickas, T., S. Stakenas, and A. Steponenas. 2015. Impact of beaver dams on abundance and distribution of anadromous salmonids in two lowland streams in Lithuania. *PLoS ONE* 10:e0123107.

Link: <https://journals.plos.org/plosone/article?id=10.1371/journal.pone.0123107>

Wathen, G., J. E. Allgeier, N. Bouwes, M. M. Pollock, and C. E. Jordan. 2019. Beaver activity increases habitat complexity and spatial partitioning by steelhead trout. *Canadian Journal of Fisheries and Aquatic Sciences* 76:1086–1095.

Link: <https://cdnsciencepub.com/doi/pdf/10.1139/cjfas-2018-0171>

Westbrook, C. J., A. Ronnquist, and A. Bedard-Haughn. 2020. Hydrological functioning of a beaver dam sequence and regional dam persistence during an extreme rainstorm. *Hydrological Processes* 34:3726–3737.

Link: <https://onlinelibrary.wiley.com/doi/epdf/10.1002/hyp.13828>

Whited, D. C., M. S. Lorang, M. J. Harner, F. R. Hauer, J. S. Kimball, and J. A. Stanford. 2007. Climate, hydrologic disturbance, and succession: drivers of floodplain pattern. *Ecology* 88:940–953.

Link: https://scholarworks.umt.edu/cgi/viewcontent.cgi?article=1021&context=biosci_pubs

Willby, N. J., A. Law, O. Levanoni, G. Foster, and F. Ecke. 2018. Rewilding wetlands: Beaver as agents of within-habitat heterogeneity and the responses of contrasting biota. *Philosophical Transactions of the Royal Society B: Biological Sciences* 373:1–8.

Link: <https://royalsocietypublishing.org/doi/epdf/10.1098/rstb.2017.0444>

Woo, M. K., and J. M. Waddington. 1990. Effects of beaver dams on sub-arctic wetland hydrology. *Arctic* 43:223–230.

Link: <https://pubs.aina.ucalgary.ca/arctic/Arctic43-3-223.pdf>